



**Government of India
Ministry of Defence
Ordnance Factory Board
10A, S.K. Bose Road
Kolkata - 700001**



CENTRALISED VENDOR REGISTRATION CERTIFICATE

This is to certify that **M/s UNIVERSAL OPTICS, D-1, industrial estate INDUSTRIAL ESTATE ROORKEE Uttarakhand** is registered at Ordnance Factory Board for following Items.

| Sl. No. | Factory / Unit | Item Nomenclature | Initial Date of Registration |
|---------|---------------------------|--|------------------------------|
| 1 | Ordnance Factory Dehradun | PRISM AS PER DRG. NO. (MCT-2481/1) FOR TNPO-160. | 02-01-2017 |
| 2 | | PRISM TO DRG. NO. (MCT-2545/2) FOR TNPA-65A. | 02-01-2017 |
| 3 | | PRISM TO DRG. NO. MCT-2544/2 FOR TNPA-65A. | 02-01-2017 |
| 4 | | PRISM AS PER DRG. MCT-3258 WITHOUT SILVERING FOR TNP-165A. | 02-01-2017 |
| 5 | | PRISM TO DRG. NO. MCT-2551/3. | 02-01-2017 |
| 6 | | GLASS K-108 | 02-01-2017 |
| 7 | | LENGTH=153MM | 02-01-2017 |
| 8 | | BREADTH=91MM | 02-01-2017 |
| 9 | | THICKNESS=6MM GOST 3514-76E NOTE:- THE TOLERANCE IN THE SIZE OF GLASS SHEET IS +0.5MM. | 02-01-2017 |
| 10 | | GLASS K-108 | 02-01-2017 |
| 11 | | GOST 3514-76E LENGTH= 118.5MM | 02-01-2017 |
| 12 | | BREADTH=65MM | 02-01-2017 |
| 13 | | THICKNESS=7.5MM NOTE:- THE TOLERANCE IN THE SIZE OF GLASS SHEET IS +0.5MM. | 02-01-2017 |
| 14 | | PRISM Drg No MCT 2250 3[26] | 31-12-2018 |
| 15 | | PRISM Drg No MCT 2551 3[26] | 31-12-2018 |
| 16 | | set of lenses for pns 5.56 rifle[26] | 31-12-2018 |

| |
|----|
| 17 |
| 18 |
| 19 |
| 20 |
| 21 |
| 22 |
| 23 |
| 24 |
| 25 |
| 26 |
| 27 |
| 28 |
| 29 |
| 30 |
| 31 |
| 32 |
| 33 |
| 34 |
| 35 |
| 36 |
| 37 |
| 38 |
| 39 |
| 40 |
| 41 |
| 42 |
| 43 |
| 44 |
| 45 |

| | |
|--------------------------------------|------------|
| FINISHED SUN FILTER LMG[26] | 31-12-2018 |
| OPTICAL GLASS MOULD ODD C 924 1[26] | 31-12-2018 |
| PRISM AS PER DRG NO MCT 3258 1[26] | 31-12-2018 |
| GLASS SHEET ASSLY[26] | 31-12-2018 |
| HEATING SHEET[26] | 31-12-2018 |
| PLATE[26] | 31-12-2018 |
| PLATE HEATING ASSY[26] | 31-12-2018 |
| POLISHED GLASS PLATE[26] | 31-12-2018 |
| PLATE 1619[21] | 31-12-2018 |
| PLATE 1621[21] | 31-12-2018 |
| A SET OF FINISHED OPTICS AS PE[26] | 23-07-2019 |
| ACHROMATE CEMENTED[26] | 23-07-2019 |
| FILTER GL C RED R G610[26] | 23-07-2019 |
| GL CH FILTER OR2[26] | 23-07-2019 |
| GLASS BSC 510644 ODD C 925 MLD[26] | 23-07-2019 |
| GLASS BAF51 652449[26] | 23-07-2019 |
| GLASS BK7BSC 517642 400X200X55[26] | 23-07-2019 |
| GLASS BSC 510644[26] | 23-07-2019 |
| GLASS BSC 510644 R S 360X180X40[26] | 23-07-2019 |
| GLASS BSC 517642 ODD C 830 2MD[26] | 23-07-2019 |
| GLASS BSC 517642 ODD C 831 1MD[26] | 23-07-2019 |
| GLASS DBC 613568[26] | 23-07-2019 |
| GLASS DBC610573SK 1 150X150X20[26] | 23-07-2019 |
| GLASS DEDF SFI717295S350X16040[26] | 23-07-2019 |
| GLASS DF 622360[26] | 23-07-2019 |
| GLASS DF620364 R S 360X120X42 45[26] | 23-07-2019 |
| GLASS EDF 651336[26] | 23-07-2019 |
| GLASS EDF 700303[26] | 23-07-2019 |
| GLASS EDF648338 R S[26] | 23-07-2019 |

| | | |
|----|--|------------|
| 46 | GLASS HC 519604 R S 350X150X40[26] | 23-07-2019 |
| 47 | GLASS HC 517606[26] | 23-07-2019 |
| 48 | GLASS LBC 541595 R S[26] | 23-07-2019 |
| 49 | GLASS LF7 575415 53X53X34 MM[26] | 23-07-2019 |
| 50 | GLASS LK 105 BLANK[26] | 23-07-2019 |
| 51 | GLASS LK 105 GOST 3514 76 E[26] | 23-07-2019 |
| 52 | GLASS LK 105 GOST 3514 76[26] | 23-07-2019 |
| 53 | GLASS MBC 572577 R S 350X120X40[26] | 23-07-2019 |
| 54 | GLASS MOULD BSC517642[26] | 23-07-2019 |
| 55 | GLASS MOULD DRG. NO. ODD/C/914/2. OPTICAL GLASS MOULD FOR PRISM DRG. NO. 7.200.056 FOR TNPO-168B[26] | 23-07-2019 |
| 56 | GLASS ODD C 924 1 BSC 517642[26] | 23-07-2019 |
| 57 | GLASS PLATE ODD C 958 1[26] | 23-07-2019 |
| 58 | GLASS SF11 785258 350X160X40[26] | 23-07-2019 |
| 59 | GLASS SF8 689312 49X49X14MM[26] | 23-07-2019 |
| 60 | GLASS SHEET[26] | 23-07-2019 |
| 61 | GLASS SHEET 2 MM THICK[26] | 23-07-2019 |
| 62 | GLASS SHEET B270 SCHOTT[26] | 23-07-2019 |
| 63 | GLASS SK 16 620603 350X200X35[26] | 23-07-2019 |
| 64 | GLASS SK 5 DBC 589613 R S[26] | 23-07-2019 |
| 65 | GLASS SLAB BK-7 BSC- 517642[26] | 23-07-2019 |
| 66 | GLASS SLAB BSC-510644[26] | 23-07-2019 |
| 67 | GLASS SLAB HC 517606[26] | 23-07-2019 |
| 68 | GLASS TAC6 755523 350X160X40[26] | 23-07-2019 |
| 69 | GLASS TYPE BK 110 GOST 3514 76[26] | 23-07-2019 |
| 70 | GRATICULE BLANK[26] | 23-07-2019 |
| 71 | LENS[74] | 23-07-2019 |
| 72 | LENS DRG NO CQA I 789 31[26] | 23-07-2019 |
| 73 | LENS DRG NO CQA I 789 27[26] | 23-07-2019 |

| |
|-----|
| 74 |
| 75 |
| 76 |
| 77 |
| 78 |
| 79 |
| 80 |
| 81 |
| 82 |
| 83 |
| 84 |
| 85 |
| 86 |
| 87 |
| 88 |
| 89 |
| 90 |
| 91 |
| 92 |
| 93 |
| 94 |
| 95 |
| 96 |
| 97 |
| 98 |
| 99 |
| 100 |
| 101 |
| 102 |

| | |
|------------------------------------|------------|
| OBJECTIVE CEMENTED[26] | 23-07-2019 |
| OPT GLASS MOULD ODD C 1003 1[26] | 23-07-2019 |
| OPT GLASS SLAB F6 DF 636353[26] | 23-07-2019 |
| OPT GLASS BK 7 MLD ODD C 831 1[26] | 23-07-2019 |
| OPT GLASS BK7[26] | 23-07-2019 |
| OPT GLASS BK7 MLD ODD C 936 1[26] | 23-07-2019 |
| OPT GLASS BK7 MLD ODD C 925 1[26] | 23-07-2019 |
| OPT GLASS BK7 MLD ODD C 830 2[26] | 23-07-2019 |
| OPT GLASS BK7 MLD ODD C 966 1[26] | 23-07-2019 |
| OPT GLASS MOULD ODD C 924 2[26] | 23-07-2019 |
| Opt Glass Slab[26] | 23-07-2019 |
| OPT.GLASS SLAB EDF-648338[26] | 23-07-2019 |
| OPTICAL GLASS BK 7 517642[26] | 23-07-2019 |
| OPTICAL GLASS DBC 610573[26] | 23-07-2019 |
| OPTICAL GLASS DBC 613568[26] | 23-07-2019 |
| OPTICAL GLASS DF 617366[26] | 23-07-2019 |
| OPTICAL GLASS EDF-699301[26] | 23-07-2019 |
| OPTICAL GLASS LASFN3 808408[26] | 23-07-2019 |
| OPTICAL GLASS LF 579411[26] | 23-07-2019 |
| OPTICAL GLASS N BAK4 569560[26] | 23-07-2019 |
| OPTICAL GLS MOULD ODD C 922 1[26] | 23-07-2019 |
| PRISM ASSY DRG AU5 935 057 CB[26] | 23-07-2019 |
| PRISM FOR TNPA 65A[26] | 23-07-2019 |
| PRISM FOR TNPO 168B[26] | 23-07-2019 |
| PRISM GLASS MOULD[26] | 23-07-2019 |
| PRISM LEFT CEMENTED[26] | 23-07-2019 |
| Prism Opt. Glass Mould[26] | 23-07-2019 |
| PRISM MCT 3257 2 FOR TNP 165A[26] | 23-07-2019 |
| PRISM MCT 2551 2[26] | 23-07-2019 |

| | | | |
|-----|-------------------------|---|------------|
| 103 | | PRISM RIGHT CEMENTED[26] | 23-07-2019 |
| 104 | | SAFETY GLASS[26] | 23-07-2019 |
| 105 | | SET OF LENSES[26] | 23-07-2019 |
| 106 | | SET OF LENSES FOR BINO 8X30R[26] | 23-07-2019 |
| 107 | | TOUGHENED PLATE FOR SE 15[26] | 23-07-2019 |
| 108 | Opto Electronic Factory | PROTECTIVE GLASS (LF-2690000034)[26] | 07-05-2018 |
| 109 | | PROTECTIVE GLASS (LF-2690000035)[26] | 07-05-2018 |
| 110 | | PROTECTIVE GLASS (LF-2690000039)[26] | 07-05-2018 |
| 111 | | P. GLASS (FINISHED) (LF-9927097819)[99] | 07-05-2018 |
| 112 | | LENS ASSY (LF-2612817455)[26] | 07-05-2018 |
| 113 | | LENS ASSY(LF-2612817456)[26] | 07-05-2018 |
| 114 | | LENS ASSY (LF-2690000008)[26] | 07-05-2018 |
| 115 | | LENS ASSY (LF-2690000009)[26] | 07-05-2018 |
| 116 | | LENS ASSY (LF-2690000010)[26] | 07-05-2018 |
| 117 | | LENS ASSY (LF-2690000025)[26] | 07-05-2018 |
| 118 | | LENS ASSY (LF-2690000026)[26] | 07-05-2018 |
| 119 | | LENS ASSY (LF-2690000028)[26] | 07-05-2018 |
| 120 | | LENS ASSY (LF-2690000029)[26] | 07-05-2018 |
| 121 | | LENS ASSY (LF-2690000033)[26] | 07-05-2018 |
| 122 | | LENS ASSY (LF-2690000042)[26] | 07-05-2018 |
| 123 | | LENS ASSY (LF-2690000043)[26] | 07-05-2018 |
| 124 | | LENS ASSY (LF-2690000045)[26] | 07-05-2018 |
| 125 | | LENS ASSY (LF-2690000046)[26] | 07-05-2018 |
| 126 | | LENS ASSY (LF-2690000047)[26] | 07-05-2018 |
| 127 | | LENS ASSY (LF-2690000056)[26] | 07-05-2018 |
| 128 | | LENS ASSY (LF-2690000063)[26] | 07-05-2018 |
| 129 | | LENS ASSY (LF-2690000064)[26] | 07-05-2018 |
| 130 | | NON PARABOLIC LENS (LF-2612817440)[26] | 07-05-2018 |
| 131 | | LENS (LF-2690000066)[26] | 07-05-2018 |

| | | |
|-----|---|------------|
| 132 | LENS BSH7536110 (LF-2690000102)[26] | 07-05-2018 |
| 133 | LENS 14547536111 (LF-2690000103)[26] | 07-05-2018 |
| 134 | LENS Y-7142456 (LF-2690000104)[26] | 07-05-2018 |
| 135 | LENS Y-7113241 (LF-2690000105)[26] | 07-05-2018 |
| 136 | LENS Y-7133025 (LF-2690000106)[26] | 07-05-2018 |
| 137 | LENS Y-7142646 (LF-2690000107)[26] | 07-05-2018 |
| 138 | LENS (F) Y7122081 (LF-2690000180)[26] | 07-05-2018 |
| 139 | LENS(F) Y7132424 (LF-2690000181)[26] | 07-05-2018 |
| 140 | LENS(F) Y7142124 (LF-2690000182)[26] | 07-05-2018 |
| 141 | HEAD WINDOW(THERMAL) AS PER DRG NO 096702000000072 (LF 2690000163)[26] | 31-08-2020 |
| 142 | DAY PRISM LF 2690000245[26] | 31-08-2020 |
| 143 | WEDGE F OPTICS LF 2690000246[26] | 31-08-2020 |
| 144 | GLASS COVER OPTICS LF 2690000247[26] | 31-08-2020 |
| 145 | FRONT DAY WINDOW CUPOLA LF 2690000248[26] | 31-08-2020 |
| 146 | WINDOW FOR COVER LF 2690000249[26] | 31-08-2020 |
| 147 | MOULD OF GERMANIUM WINDOW LF 2612884803[26] | 07-10-2020 |
| 148 | LENS FINISHED LF 7420400016[74] | 23-02-2021 |
| 149 | LEN ASSY LF 2690000081[26] | 23-02-2021 |
| 150 | OCULAR LF 2690000082[26] | 23-02-2021 |
| 151 | RETICLE OF PNK LF 2690000233[26] | 23-02-2021 |
| 152 | RETICLE OF PNK 4S LF 2690000234[26] | 23-02-2021 |

Registration No. : MRTM05626F
Initial Date of Registration : 02-01-2017
Downloaded at : 13/11/2024 06:28 am

Conditions of Registration:

1. This Registration has been carried out based on self-declared documents furnished by Vendor.

Registration Authority immediately.

2. ~~Change in Registration Address or contact details of the Firm, this Registration Certificate or Technology should be intimated to the~~
4. Registration will be valid for 05 years with automatic renewal unless cancelled on account of administrative reasons.

This is a system generated certificate. Hence no separate signature is required.

NOTE: It is only a registration of vendor. It does not grant any special supply status to the Vendor. It is for the purpose of participation in Tender process only.