



**Government of India
Ministry of Defence
Ordnance Factory Board
10A, S.K. Bose Road
Kolkata - 700001**



CENTRALISED VENDOR REGISTRATION CERTIFICATE

This is to certify that **M/s Hitek Engineers, 56 Govt Industrial Estate Kalpi Road Kanpur Uttar Pradesh** is registered at Ordnance Factory Board for following Items.

| Sl. No. | Factory / Unit | Item Nomenclature | Initial Date of Registration |
|---------|--------------------|---|------------------------------|
| 1 | Small Arms Factory | PIN EXTRACTOR D S CAT NO -5315-002012 IN FINISHED CONDITION OF SMG 9MM CARBINE 1A1.DC(I)26339-SA DT,21-05-2007.[70] | 26-04-2018 |
| 2 | | Screw catch magazine DS CAT No. 5305-005080 in finished conditon of SMG 9 MM Carbine[70] | 26-04-2018 |
| 3 | | EJECTOR DS CAT NO-1005-000893 IN FINISHED CONDITION OF SMG 9MM CARBINE 1A1.D C (I) 26911-SA-DATED-09-08-2016.[70] | 26-04-2018 |
| 4 | | BUFFER FOR JVPC 5.56 X 30MM DRG NO. 0204-03-02-03-22-005-00DB[70] | 26-04-2018 |
| 5 | | MOUNTING RAIL for JVPC 5.56 MM[70] | 26-04-2018 |
| 6 | | 3 POINT SLING JVPC 5.56MM DRG.NO.204-04-03-00-00-000-00DA[70] | 26-04-2018 |
| 7 | | CLOSING CUP DRG. NO. 0204-03-02-22-35-001-00DG[70] | 26-04-2018 |
| 8 | | GUIDE SPRING FOR MAGAZINE 9 MM DS CAT NO.1005-000979 DC(1) NO.25255-SA DATED 30-01-2002[70] | 26-04-2018 |
| 9 | | SPINDLE REGULATOR TO DS CAT NO. 1005-007081 DC(I) NO. 26670-SA DT- 17.4.13 IN FINISHED CONDITION.[70] | 26-04-2018 |
| 10 | | SLEEVE GAS REGULATOR TO DS CAT NO. 3120-004755 DC(I) NO. 25570-SA DT- 29.10.02[70] | 26-04-2018 |
| 11 | | PIN STRIGHT HEADED ENJECTOR TO DS CAT NO. 5315-001521[70] | 26-04-2018 |

| | | |
|----|---|------------|
| 12 | ROLLER ICR 1189 FOR MAGAZINE 9MM D.S.CAT NO.1005-000983 DC (I)NO.25127-SA DATED 23.09.2001[70] | 26-04-2018 |
| 13 | PIN ICR 1188 FOR MAGAZINE 9MM DS CAT NO.1005-000980 DC(I)NO.25691-SA DATED 03.03.2003.[70] | 26-04-2018 |
| 14 | PIN GRIP PLATE DS CAT NO. 1005-000884 IN FINISHED CONDITION FOR PLATE GRIP ASSEMBLY FOR CARBINE 9 MM . DC NO.26884-SA, DT.05.07.16[70] | 26-04-2018 |
| 15 | PIN RIVETTING DS CAT NO. 5315-002018 IN FINISHED CONDITION FOR PLATE GRIP ASSEMBLY FOR CARBINE 9 MM . D C NO.25065-SA, DT: 10/07/2001[70] | 26-04-2018 |
| 16 | BLANK OF COCKING HANDLE for JVPC[70] | 26-04-2018 |
| 17 | PIN LOCKING CUP AND PISTOL GRIP FOR JVPC 5.56MM DRG.NO.0204-03-02-00-11-001-00DB[70] | 26-04-2018 |
| 18 | ROD FRONT SPRING RECOIL FOR JVPC 5.56MM DRG.NO.0204-03-02-00-06-003-00DC[70] | 26-04-2018 |
| 19 | TUBE MIDDLE SPRING RECOIL FOR JVPC 5.56MM DRG.NO.0204-03-02-00-06-002-00DC[70] | 26-04-2018 |
| 20 | SCREW BARREL COVER M5X20 FOR JVPC 5.56MM AS PER IS1366[70] | 26-04-2018 |
| 21 | TUBE REAR SPRING RECOIL FOR JVPC 5.56MM DRG.NO.0204-03-02-00-06-001-00DC[70] | 26-04-2018 |
| 22 | MAIN SPRING SWIVEL IN FINISHED CONDITION REQUIRED FOR REVOLV ER MK-III DRG NO PHMK-III-1-21 D.A. NO. 65/08 DT. 27-09-08[70] | 26-04-2018 |
| 23 | STUD REBOUND IN F/C DRG NO PHMK-III-2-5 FOR REVOLVER MK-III[70] | 26-04-2018 |
| 24 | REBOUND SLIDE TO DRG NO PHMK-III-1-22 IN FINISHED CONDITION REQUIRED FOR REVOVER MK-III[70] | 26-04-2018 |
| 25 | PLUNGER PAWL FOR REVOLVER MK-III DRG NO PHMK-III-1-34 IN FINISHED CONDITION[70] | 26-04-2018 |
| 26 | LEVER AUXILIARY TO DRG NO. PH-1-8 IN FINISHED CONDITION. D.A. NO. 67/99 DT. 15.5.99[70] | 26-04-2018 |

| | | |
|----|--|------------|
| 27 | STUD STOP CYLINDER TO DRG NO. PH-2-2 IN FINISHED CONDITION. D.A. NO. 88/99 DT 2.7.99[70] | 26-04-2018 |
| 28 | PLUG AXIS CYLINDER PH-3-4 IN FINISHED CONDITION. D.A. NO. 84/99 DT.-29/6/99[70] | 26-04-2018 |
| 29 | BUSH STUD TRIGGER PH-5-2 IN FINISHED CONDITION. D.A. NO. 58/99 DT. 23.4.99[70] | 26-04-2018 |
| 30 | BUSH STUD HAMMER, DRG. NO. PH-5-3 IN FINISHED CONDITION D.A. NO. 84/99 DT. 29.6.99[70] | 26-04-2018 |
| 31 | SCREW CATCH BARREL TO DRG NO. PH-1-13 IN FINISHED CONDITION WITHOUT HEAT TREATMENT. D.A. NO.61/08 , DT. 22-09-08[70] | 26-04-2018 |
| 32 | SCREW SHIELD TO DRG NO. PH-1-16 IN FINISHED CONDITION. D.A. NO. 50/04 DT 27.5.04[70] | 26-04-2018 |
| 33 | SCREW CAM TO DRG NO. PH-1-28 IN FINISHED CONDITION. D.A. NO. 06/04 DT 24.01.04[70] | 26-04-2018 |
| 34 | STUD TRIGGER DRG NO.PH-2-3 IN SOFT CONDITION D.A. NO. 88/99 DT 2.7.99[70] | 26-04-2018 |
| 35 | STUD HAMMER DRG NO.PH-2-4 IN SOFT CONDITION. D.A. NO. 88/99 DT 2.7.99[70] | 26-04-2018 |
| 36 | Steel blank for stud change lever Drg. No. RFI SK-7017-S[04] | 26-04-2018 |
| 37 | Rivett solid for channel Right & Left DRG. No. SK -3543B*[70] | 26-04-2018 |
| 38 | Lug Sling to DRG No.-ARDE/SK-3145/69, DS CAT No. 1005-008025 in finished condition[70] | 26-04-2018 |
| 39 | Pin Groove Headed For Trigger & Safety Sear drg .no. ARDE SK-2689/132 for LMG/Rifle 5.56mm[70] | 26-04-2018 |
| 40 | Blank for Ring CAP drg .no. SK-5183 for Carbine 9mm[01] | 26-04-2018 |
| 41 | Machining of Cap back of 9 mm Carbine DS CAT No. 1005-000860[70] | 26-04-2018 |
| 42 | Cup spring return DS CAT No. 5365-010528[70] | 26-04-2018 |
| 43 | SCREW SOCKET HEAD Drg. No 5305-005081[70] | 26-04-2018 |
| 44 | Set screw DS CAT No. 5305-005083 in finished condition[70] | 26-04-2018 |

| | | |
|----|--|------------|
| 45 | LINK SLING.TO DRAWING NO-ARDE/SK-3145/93,DS CAT NO.1005-1185 70(IN FINISHED CONDITION) DC NO. 26949-SA, DT. 27.09.16[70] | 26-04-2018 |
| 46 | PEG LOCATING D S CAT NO-1005-000877 IN FINISHED CONDITION OF SMG 9MM CARBINE 1A1. DC(I)-26883-SA-DT.04-07-16.[70] | 26-04-2018 |
| 47 | PIN LOCATING,DS CAT NO.1005-000885 IN FINISHED CONDITION REQ UIRED FOR CARBINE 9MM DC(I) NO. 26884-SA, DT. 05-07-16.[70] | 26-04-2018 |
| 48 | PIN SPRING STOP DS CAT NO 5315-002026 DC(I)NO.24969 DATED 19-03-2001 IN FINISHED CONDITION[70] | 26-04-2018 |
| 49 | SCREW GRUB B.A. STEEL CONICAL POINTED DS CAT NO.5305-005079 DC-26341-SA DATED 01-06-07[70] | 26-04-2018 |
| 50 | WASHER, BRAZING BUSH TO DS CAT NO. 5310-011901 DC(I) NO. 25352-SA DT- 04.5.02 IN FINISHED CONDITION.[70] | 26-04-2018 |
| 51 | RIVET, CARTRIDGE STOP TO DS CAT NO. 5320-002188 DC(I) NO. 25379-SA DT- 30.06.2002 IN FINISHED CONDITION.[70] | 26-04-2018 |
| 52 | STOP SCREW REARSIGHT CURSOR DS CAT NO. 5305-004282 DC (I) NO. 25343-SA DT. 26.4.02 IN FINISHED CONDITION.[70] | 26-04-2018 |
| 53 | WASHER FRONT GUIDE RIGHT DS CAT NO 5310-011400 DC(I) NO 25352-SA DT-04/05/2002 IN FINISHED CONDITION.[70] | 26-04-2018 |
| 54 | BUTTON FEED BOX DS CAT NO. 5340-016725[70] | 26-04-2018 |
| 55 | NUT RETAINING HANDLE TO DS CAT No. 5310-002660[70] | 26-04-2018 |
| 56 | SPLIT COLLAR, GAS REGULATOR TO DS CAT NO. 1005-000402 DC(I) NO. 25292-SA DT- 14.3.02 IN FINISHED CONDITION.[70] | 26-04-2018 |
| 57 | PIVOT COVER LATCHES SPRING TO DS CAT NO. 1005-000463 DC(I) NO. 25298-SA DT- 19.3.02[70] | 26-04-2018 |
| 58 | BUSH MOUNTING FRONT TO DS CAT NO. 3120 - 004267 DC(I) NO. 23313-SA DT. 13.4.96 IN FINISHED CONDITION.[70] | 26-04-2018 |

| | | |
|----|--|------------|
| 59 | RING,FRONT MOUNTING BUSH DS CAT NO. 3120-004655 DC(I) NO. 25303-SA DT-23.3.2002 IN FINISHED CONDITION.[70] | 26-04-2018 |
| 60 | ROD, GUIDE BELLEVILLE WASHERS TO DS CAT NO. 1005-000585 DC(I) NO. 25310-SA DT- 30.3.02 IN FINISHED CONDITION.[70] | 26-04-2018 |
| 61 | HANDLE COCKING SLIDE DS CAT NO. 1005-006630[70] | 26-04-2018 |
| 62 | SCREW MACHINE FOR PLUG OBTURATIVE HOLE FOR INFRARED RAY PROTECTOR SUPPORT SCREW DS CAT NO. 5305-011218 DC (I) NO. 25349-SA DT. 30.04.02. IN FINISHED CONDITION.[70] | 26-04-2018 |
| 63 | PIN STRAIGHT HEADED CARTRIDGE GUIDE PAWL TO DS CAT NO. 5315-001514 DC(I) NO. 25295-SA DT-18.3.2002 IN FINISHED CONDITION.[70] | 26-04-2018 |
| 64 | CLEANING ROD WITH BRUSH AND PULL THROUGH TO DRG.NO.SK-4142 Description : CLEANING ROD WITH BRUSH AND PULL THROUGH TO DRG.NO.SK-4142 [ENR Registration] | 21-06-2019 |
| 65 | STEEL ROD DIA 8MM STEEL TO IS:5517-1993,GD-42CR4M02 0R EN-19 Description : STEEL ROD DIA 8MM STEEL TO IS:5517-1993,GD-42CR4M02 0R EN-19 [ENR Registration] | 21-06-2019 |
| 66 | TOOL CLEANING GAS HOLE ASSY.(GM 5.56MM 1A1) TO DS CAT NO. 4933-000796 , DC(I) NO. 26493-SA, DT. 22-02-10 Description : TOOL CLEANING GAS HOLE ASSY.(GM 5.56MM 1A1) TO DS CAT NO. 4933-000796 , DC(I) NO. 26493-SA, DT. 22-02-10 [ENR Registration] | 23-09-2019 |
| 67 | MAIN SPRING STRIP TO DRG NO PHMK-III-1-10 IN FINISHED CONDITION REQD.FOR REVOLVER MK-III Description : MAIN SPRING STRIP TO DRG NO PHMK-III-1-10 IN FINISHED CONDITION REQD.FOR REVOLVER MK-III [ENR Registration] | 21-06-2019 |
| 68 | SPRING CATCH BARREL TO DRG NO PH 1 12 IN FINISHED CONDITION FOR REVOLVER Description : SPRING CATCH BARREL TO DRG NO PH 1 12 IN FINISHED CONDITION FOR REVOLVER [ENR Registration] | 30-09-2019 |
| 69 | PIN AUTO SEAR FOR JVPC[70] | 18-12-2019 |

| | | |
|----|---|------------|
| 70 | Link for JVPC[7012470234] | 18-12-2019 |
| 71 | Trigger Rear with Machining Route[70] | 11-09-2020 |
| 72 | Body Cover with Integral Picatiny Rail for LMG Belt Fed[70] | 11-09-2020 |
| 73 | Cylinder Gas for LMG Belt Fed[70] | 11-09-2020 |
| 74 | PULL THROUGH CQA SA SK 369 Nylon for Rifle[71] | 11-09-2020 |
| 75 | MACHINING OF HOUSING MODIFIED FOR STRIKER MECHANISM[70] | 11-09-2020 |
| 76 | PLUNGER SPHERICAL REAR SIGHT FOR JVPC[70] | 12-10-2022 |
| 77 | Lever locking gas cylinder for JVPC[70] | 12-10-2022 |
| 78 | Silencer Assy for JVPC[70] | 12-10-2022 |
| 79 | Rod Rear Spring Recoil for JVPC[70] | 12-10-2022 |
| 80 | PISTON FOR JVPC ALFA[70] | 12-10-2022 |
| 81 | Cocking Handle for JVPC[70] | 12-10-2022 |
| 82 | CLOSING CUP DRG NO 0204 03 04 00 03 001 00DA[70] | 12-10-2022 |

Registration No. : KNPR02036G
Initial Date of Registration : 26-04-2018
Downloaded at : 11/01/2025 10:20 am

Conditions of Registration:

1. This Registration has been carried out based on self-declared documents furnished by Vendor.
2. Changes, if any, in Address or constitution of the Firm, major Machinery/Equipment or Technology should be intimated to the Registration Authority immediately.
3. The Registration Authority reserves the right to cancel this Registration Certificate at any time.
4. Registration will be valid for 05 years with automatic renewal unless cancelled on account of administrative reasons.

This is a system generated certificate. Hence no separate signature is required.

participation in Tender process only.

NOTE: It is only a registration of vendor. It does not grant any special supply status to the Vendor. It is for the purpose of