

Government of India Ministry of Defence Ordnance Factory Board 10A, S.K. Bose Road Kolkata - 700001



CENTRALISED VENDOR REGISTRATION CERTIFICATE

This is to certify that **M/s EXCELO INDUSTRIES INC, 16, GUHA PARK, LILUAH, HOWRAH 711204 LILUAH HOWRAH West Bengal** is registered at Ordnance Factory Board for following Items.

SI. No.	Factory / Unit	Item Nomenclature	Initial Date of Registration
1	Gun and Shell Factory	BLANKS FOR BODY casting to GSF DRG NO C 1946 H[62]	11-02-2022
2		BRASS PRESSING BLANKS TO DRG NO 1896 1G FOR PRIMER 1A L MAGAZINE TO DRG NO QX 1709 DC 36123 A DT 06 06 96[63]	10-03-2022
3		CAP TO SK NO OTF PG 002 IN FC[62]	01-04-2022
4		CONE (SK NO OTF/S/015) TO DRG NO 4-025998 DET NO 069 FOR 125MM HEAT[62]	20-04-2022
5		STOP DETENT TO DRG NO IQX 1002[63]	20-04-2022
6		CAP DET NO 21 TO SK NO OTF DD 001 IN FC[62]	20-04-2022
7		FORGED BLANK FOR PROJECTILE BODY TO OFAJ DRG NO F 495E[61]	20-04-2022
8		DIE CASTING FOR SAFETY CAP TO DRG NO C 2325[63]	20-04-2022
9		CAP TO DRG NO NAI J 501 15 IN FC[63]	20-04-2022
10		SAFETY CAP IN FC PT IQX 14[63]	20-04-2022
11		DIE CASTING SAFETY CAP DRG NO C 2252A[63]	20-04-2022
12		SEMI MACHINED STAGE UP TO KNURLING OPERATION OF 30 MM HEI BODY FROM INPUT STEEL ROD 32MM ITEM CODE NO 0353405132 TO OUTPUT DRG NO M 11209C FOR 30 MM HEI BMP II STORE[91]	16-06-2022

14 HEAD TO SK NO OTF S 002 DRG NO 4 025998 DET NO 002 AND DC 35862 A DT 01 12 94 IN FINISHED CONDITION WITHOUT SURFACE TREATMENT Description + HEAD TO SK NO OTF S 002 DRG NO 4 025998 DET NO 002 AND DC 35862 A DT 01 12 94 IN FINISHED CONDITION WITHOUT SURFACE TREATMENT [ENR Registration] 15 GRENADE BODY BLANK TO GSF DRG NO M 03-03-2023 16 GRENADE BODY BLANK TO GSF DRG NO M 03-03-2023 17 FORGED BLANK FOR STABILIZER RODY OF SHELL 125MM HEAT TO GSF DRG NO M 103-03-2023 30-05-2023 18 RIVET STABILIZER ASSEMBLY TO DRG NO 4 025998 det no 030Cb SK NO OTF S 028 FOR SHELL 125 30-05-2023 18 RIVET STABILIZER ASSY TO GSF SK NO M 11548 IN FINISHED CONDITION FOR 125 MM HEAT AMMN SHELL[82] 30-05-2023 20 SEMI MACHINED BLANK FOR STABILIZER BODY OF SHELL 125MM HEAT TO GSF DRG NO F 2353[62] 30-05-2023 21 SET OF TRACER NUT AXLE PIN SEMI RING[62] 30-05-2023 22 SEMI MACHINED BLANKS FOR ILLUMINATING PERIPHERAL GRAIN GROWTH 1MM MAX ON RADIUS[63] 28-07-2023 23 STEEL FORGING TO GSF SK NO 2332 B FOR BREECH RING TO DRG NO 1002378[70] 28-07-2023 24 FORGING FOR CASE OUTER RAN NO 1002378[70] 21-11-2023 25 STEEL FORGING FOR CASE OUTER DRG NO 3015202 MSF SK NO F 1171 Description : STEEL FORGING FOR CASE OUTER RAN TO OFAJ DRG NO F 10D OR GSF DRG NO 101077 A FOR BOMB 81	13	FUNNEL TO DET NO 026 OF DRG NO 4 025998 WITHOUT SURFACE TREATEMENT[62]	14-09-2022
11220[62] 11220[62] 16 STABILIZER ASSEMBLY TO DRG NO 4 025998 det no 030Cb SK NO OTF S 028 FOR SHELL 125 HEAT[62] 30-05-2023 17 FORGED BLANK FOR STABILIZER BODY OF SHELL 125MM HEAT TO GSF DRG NO F 2353[62] 30-05-2023 18 RIVET STABILIZER ASSY TO GSF SK NO M 11548 IN FINSHED CONDITION FOR 125 MM HEAT 30-05-2023 19 SET OF TRACER NUT AXLE PIN SEMI RING[62] 30-05-2023 20 SEMI MACHINED BLANKS FOR ILLUMINATING TME FUZE BODY TO OFAJ DRG NO CG 27 H AND PERIPHERAL GRAIN GROWTH 1MM MAX ON RADIUS[63] 28-07-2023 21 FORGING BLANKS FOR TIME TRAIN RING TO OFAJ DRG NO DC 154 D PGG[63] 28-07-2023 23 STEEL FORGING FOR CASE OUTER DRG NO 3015202 MSF SK NO F 1171 Description : STEEL FORGING FOR CASE OUTER DRG NO 3015202 MSF SK NO F 1171 (Description : STEEL FORGING FOR CASE OUTER DRG NO 3015202 MSF SK NO F 1171 (Description : STEEL FORGING FOR CASE OUTER DRG NO 3015202 MSF SK NO F 1171 (Description : STEEL FORGING FOR CASE OUTER DRG NO 3015202 MSF SK NO F 1171 (Description : STEEL FORGING FOR CASE OUTER DRG NO ST 10D OR GSF DRG NO M 10177A FOR BOMB 81 mm MORTAR C EMPTY BODY[62] 06-03-2024 24 FORGED BODY FRONT PART TO OFAJ DRG NO F 9 G OR GSF DRG NO M 10177A FOR BOMB 81 mm MORTAR C EMPTY BODY[62] 06-03-2024 25 MACHINING AND PROCESSING OF SLEEVE FOR 29-11-2024	14	DET NO 002 AND DC 35862 A DT 01 12 94 IN FINISHED CONDITION WITHOUT SURFACE TREATMENT Description : HEAD TO SK NO OTF S 002 DRG NO 4 025998 DET NO 002 AND DC 35862 A DT 01 12 94 IN FINISHED CONDITION WITHOUT	10-12-2022
17 In 0 030Cb SK NO OTF S 028 FOR SHELL 125 Intervention 17 FORGED BLANK FOR STABILIZER BODY OF SHELL 125MM HEAT TO GSF DRG NO F 2353[62] 30-05-2023 18 RIVET STABILIZER ASSY TO GSF SK NO M 11548 IN FINISHED CONDITION FOR 125 MM HEAT 30-05-2023 19 SET OF TRACER NUT AXLE PIN SEMI RING[62] 30-05-2023 20 SEMI MACHINED BLANKS FOR ILLUMINATING TIME FUZE BODY TO OFAJ DRG NO CG 27 H AND PERIPHERAL GRAIN GROWTH 1MM MAX ON RADIUS[63] 28-07-2023 21 FORGING BLANKS FOR TIME TRAIN RING TO OFAJ DRG NO DC 154 D PGG[63] 28-07-2023 22 STEEL FORGING TO GSF SK NO 2332 B FOR BREECH RING TO DRG NO 1002378[70] 11-08-2023 23 STEEL FORGING FOR CASE OUTER DRG NO 3015202 MSF SK NO F 1171 Description : STEEL FORGING FOR CASE OUTER DRG NO 3015202 MSF SK NO F 1171 Description : STEEL FORGING FOR CASE OUTER DRG NO 3015202 MSF SK NO F 1171 [Deemed Registration] 21-11-2023 24 FORGED BODY REAR PART TO OFAJ DRG NO F 10D DR GSF DRG NO M 1017A FOR BOMB 81 Imm MORTAR C EMPTY BODY[62] 06-03-2024 25 FORGED BODY FRANT PART TO OFAJ DRG NO F 9G OR GSF DRG NO M 10176B FOR BOMB 81 mm MORTAR C EMPTY BODY[62] 06-03-2024	15		03-03-2023
SHELL 125MM HEAT TO GSF DRG NO F 2353[62]18RIVET STABILIZER ASSY TO GSF SK NO M 11548 IN FINISHED CONDITION FOR 125 MM HEAT AMMN SHELL[62]30-05-202320SET OF TRACER NUT AXLE PIN SEMI RING[62] SEMI MACHINED BLANKS FOR ILLUMINATING PERIPHERAL GRAIN GROWTH 1MM MAX ON RADIUS[63]28-07-202321FORGING BLANKS FOR TIME TRAIN RING TO OFAJ DRG NO CG 27 H AND PERIPHERAL GRAIN GROWTH 1MM MAX ON RADIUS[63]28-07-202322STEEL FORGING TO GSF SK NO 2332 B FOR BREECH RING TO DRG NO 1002378[70]11-08-202323STEEL FORGING FOR CASE OUTER DRG NO 3015202 MSF SK NO F 1171 Description : STEEL FORGING FOR CASE OUTER DRG NO 3015202 MSF SK NO F 1171 [Deemed Registration]21-11-202324FORGED BODY REAR PART TO OFAJ DRG NO F 10D OR GSF DRG NO M 10177 A FOR BOMB 81 mm MORTAR C EMPTY BODY[62]06-03-202425MACHINING AND PROCESSING OF SLEEVE FOR 29-11-202429-11-2024	16	no 030Cb SK NO OTF S 028 FOR SHELL 125	30-05-2023
19IN FINISHED CONDITION FOR 125 MM HEAT AMMN SHELL[62]19SET OF TRACER NUT AXLE PIN SEMI RING[62]20SEMI MACHINED BLANKS FOR ILLUMINATING TIME FUZE BODY TO OFAJ DRG NO CG 27 H AND PERIPHERAL GRAIN GROWTH 1MM MAX ON RADIUS[63]21FORGING BLANKS FOR TIME TRAIN RING TO OFAJ DRG NO C 154 D PGG[63]22STEEL FORGING TO GSF SK NO 2332 B FOR BREECH RING TO DRG NO 1002378[70]23STEEL FORGING FOR CASE OUTER DRG NO 3015202 MSF SK NO F 1171 Description : STEEL FORGING FOR CASE OUTER DRG NO 3015202 MSF SK NO F 1171 [Deemed Registration]24FORGED BODY REAR PART TO OFAJ DRG NO F 10D OR GSF DRG NO M 10177 A FOR BOMB 81 mm MORTAR C EMPTY BODY[62]06-03-202426MACHINING AND PROCESSING OF SLEEVE FOR 29-11-202429-11-2024	17		30-05-2023
20SEMI MACHINED BLANKS FOR ILLUMINATING TIME FUZE BODY TO OFAJ DRG NO CG 27 H AND PERIPHERAL GRAIN GROWTH 1MM MAX ON RADIUS[63]28-07-202321FORGING BLANKS FOR TIME TRAIN RING TO OFAJ DRG NO DC 154 D PGG[63]28-07-202322STEEL FORGING TO GSF SK NO 2332 B FOR BREECH RING TO DRG NO 1002378[70]11-08-202323STEEL FORGING FOR CASE OUTER DRG NO 3015202 MSF SK NO F 1171 Description : STEEL FORGING FOR CASE OUTER DRG NO 3015202 MSF SK NO F 1171 IDescription : STEEL FORGING FOR CASE OUTER DRG NO 3015202 MSF SK NO F 1171 IDESCRIPTION21-11-202324FORGED BODY REAR PART TO OFAJ DRG NO F 10D OR GSF DRG NO M 10177 A FOR BOMB 81 mm MORTAR C EMPTY BODY[62]06-03-202425FORGED BODY FRONT PART TO OFAJ DRG NO F 9G OR GSF DRG NO M 10176B FOR BOMB 81 mm MORTAR C EMPTY BODY[62]06-03-202426MACHINING AND PROCESSING OF SLEEVE FOR 29-11-202429-11-2024	18	IN FINISHED CONDITION FOR 125 MM HEAT	30-05-2023
TIME FUZE BODY TO OFAJ DRG NO CG 27 H AND PERIPHERAL GRAIN GROWTH 1MM MAX ON RADIUS[63]28-07-202321FORGING BLANKS FOR TIME TRAIN RING TO OFAJ DRG NO DC 154 D PGG[63]28-07-202322STEEL FORGING TO GSF SK NO 2332 B FOR BREECH RING TO DRG NO 1002378[70]11-08-202323STEEL FORGING FOR CASE OUTER DRG NO 3015202 MSF SK NO F 1171 Description : STEEL FORGING FOR CASE OUTER DRG NO 3015202 MSF SK NO F 1171 [Deemed Registration]21-11-202324FORGED BODY REAR PART TO OFAJ DRG NO F 10D OR GSF DRG NO M 10177 A FOR BOMB 81 mm MORTAR C EMPTY BODY[62]06-03-202425FORGED BODY FRONT PART TO OFAJ DRG NO F 9G OR GSF DRG NO M 10176B FOR BOMB 81 mm MORTAR C EMPTY BODY[62]06-03-202426MACHINING AND PROCESSING OF SLEEVE FOR 29-11-202429-11-2024	19	SET OF TRACER NUT AXLE PIN SEMI RING[62]	30-05-2023
QFAJ DRG NO DC 154 D PGG[63]22STEEL FORGING TO GSF SK NO 2332 B FOR BREECH RING TO DRG NO 1002378[70]11-08-202323STEEL FORGING FOR CASE OUTER DRG NO 3015202 MSF SK NO F 1171 Description : STEEL FORGING FOR CASE OUTER DRG NO 3015202 MSF SK NO F 1171 [Deemed Registration]21-11-202324FORGED BODY REAR PART TO OFAJ DRG NO F 10D OR GSF DRG NO M 10177 A FOR BOMB 81 mm MORTAR C EMPTY BODY[62]06-03-202425FORGED BODY FRONT PART TO OFAJ DRG NO F 9G OR GSF DRG NO M 10176B FOR BOMB 81 mm MORTAR C EMPTY BODY[62]06-03-202426MACHINING AND PROCESSING OF SLEEVE FOR 29-11-202429-11-2024	20	TIME FUZE BODY TO OFAJ DRG NO CG 27 H AND PERIPHERAL GRAIN GROWTH 1MM MAX ON	28-07-2023
BREECH RING TO DRG NO 1002378[70]2323232424245025262688<	21		28-07-2023
3015202 MSF SK NO F 1171 Description : STEEL FORGING FOR CASE OUTER DRG NO 3015202 MSF SK NO F 1171 [Deemed Registration]24FORGED BODY REAR PART TO OFAJ DRG NO F 10D OR GSF DRG NO M 10177 A FOR BOMB 81 	22		11-08-2023
10D OR GSF DRG NO M 10177 A FOR BOMB 81 mm MORTAR C EMPTY BODY[62]2525262610D OR GSF DRG NO M 10177 A FOR BOMB 81 mm MORTAR C EMPTY BODY[62]26	23	3015202 MSF SK NO F 1171 Description : STEEL FORGING FOR CASE OUTER DRG NO 3015202	21-11-2023
9G OR GSF DRG NO M 10176B FOR BOMB 81 mm MORTAR C EMPTY BODY[62] 26 MACHINING AND PROCESSING OF SLEEVE FOR 29-11-2024	24	10D OR GSF DRG NO M 10177 A FOR BOMB 81	06-03-2024
	25	9G OR GSF DRG NO M 10176B FOR BOMB 81 mm	06-03-2024
	26		29-11-2024

27	MACHINING AND PROCESSING OF BODY FOR 76 POINT 2 MM PRE FRAG GSF SK M 7921 A[91]	29-11-2024
28	DISTANCE TUBE TO DRG NO F 1301 047281 D IN FC WITHOUT SURFACE TREATMENT[62]	10-04-2025

Registration No.	: ABSPN0998H
Initial Date of Registration	: 11-02-2022
Downloaded at	: 26/04/2025 06:09 am

Conditions of Registration:

- 1. This Registration has been carried out based on self-declared documents furnished by Vendor.
- 2. Changes, if any, in Address or constitution of the Firm, major Machinery/Equipment or Technology should be intimated to the Registration Authority immediately.
- 3. The Registration Authority reserves the right to cancel this Registration Certificate at any time.
- 4. Registration will be valid for 05 years with automatic renewal unless cancelled on account of administrative reasons.

This is a system generated certificate. Hence no separate signature is required.

NOTE: It is only a registration of vendor. It does not grant any special supply status to the Vendor. It is for the purpose of participation in Tender process only.