



**Government of India  
Ministry of Defence  
Ordnance Factory Board  
10A, S.K. Bose Road  
Kolkata - 700001**



**CENTRALISED VENDOR REGISTRATION CERTIFICATE**

This is to certify that **M/s BAJAJ STEEL INDUSTRIES LIMITED., PLOT NO. C 108 HINGNA MIDC HINGNA ROAD NAGPUR Maharashtra** is registered at Ordnance Factory Board for following Items.

| Sl. No. | Factory / Unit             | Item Nomenclature  | Initial Date of Registration |
|---------|----------------------------|--|------------------------------|
| 1       | Ordnance Factory Ambajhari | NUB TO CQA (AMMN) DRG.NO. 155-1050, DC 36792-A, DT. 01/11/2001[00]   | 29-01-2019                   |
| 2       |                            | CONVERSION OF ROLLED STEEL FLAT WITH SIZE 23 MM THICKNESS X 286 MM WIDTH X 1430 MM LENGTH HIGH GRAD MILD KILLED STEEL OF GRADE 11 IOA SPECIFICATION TO GOST B19032 73 INTO CERCULAR BLANK BY CNC PLASMA CUTTING FOR 76 point 2 MM CARTRIDGE CASE[00] | 08-06-2020                   |
| 3       |                            | JOINT BAND TO DRG NO CAT NO 1192A[00]  | 03-06-2020                   |
| 4       |                            | JOINT BAND TO DRG NO CAT NO 1371A[00]  | 03-06-2020                   |
| 5       |                            | JACK 15 T BB 82 FABRICATED TO DRG NO IMGA 0057 B ACK 15 T BB 82 FABRICATED[00]   | 03-06-2020                   |
| 6       |                            | MILD STEEL PLATE TO GERMAN SPECIFICATION M ST 52 point 3 SIZE 210 MM X 8 MM X 325 MM LENGTH TENSILE STRENGTH 52 to 62 KG per MM SQUARE OR LATEST AMENDED NOMENCLATURE AS ON T E DATE[00]   | 03-06-2020                   |
| 7       |                            | MILD STEEL PLATE TO GERMAN SPECIFICATION M ST 52 point 3 SIZE 201 MM X 8 MM X 132 MM LENGTH TENSILE STRENGTH 52 to 62 KG per MM SQUARE[00]   | 03-06-2020                   |
| 8       |                            | PIN CAT 1255 PIN 41 774 X 90MM LONG TO DRG NO IMPD0988[00]   | 03-06-2020                   |
| 9       |                            | LOCKING BOLT TO DRG NO CAT 1376 C WITHOUT CUP SPRING[00]   | 03-06-2020                   |

|    |   |            |
|----|---|------------|
| 10 | SPIKE BRIDGING O P PIN TO DRG NO IMPD 0543[00]  | 03-06-2020 |
| 11 | STEEL PLATE OF SIZE 20 MM THICK X 175 MM WIDE X 900 MM LENGTH HAVING PROPERTIES OF UTS 52 KG per MM SQ MIN YIELD STRENGTH 36 KG F per MM SQ MIN percent ELONGATION 22 percent ON GAUGE LENGTH 5 point 65 SQUARE ROOT AREA[00] | 03-06-2020 |
| 12 | PIN DIAMETER 12 CAT 1256 PIN DIA 12 X 75MM LONG TO DRG NO IMPD0989[00]  | 03-06-2020 |
| 13 | SPLIT COTTER PIN DIA 4 X 20 COTTER SPLIT PIN MILD STEEL DIA 4 X 20 MM LONG TO DRG NO IMPD 0990[00]  | 03-06-2020 |
| 14 | SPLIT COTTER PIN DIAMETER 5 OF SR NO 2 TO DRG NO IMPD 0986[00]  | 03-06-2020 |
| 15 | ADAPTER SLEEVE 8 X 45 ADAPTER DIA 8 X 45MM LONG TO DRG NO IMPD 0982[00]   | 03-06-2020 |
| 16 | ECENTRIC BOLT TO CQA EE DRG NO CAT NO 1403 C DC NO ES 14 224 DT 3 10 84[00]   | 03-06-2020 |
| 17 | LOCK NUT M 16 TO DIN 7967 DULY GALV AND CHROM[00]   | 03-06-2020 |
| 18 | CONE HANDLE CAT PART NO 14 5340 001021 TO DRG NO ISK 0439[00]   | 03-06-2020 |
| 19 | CYLINDRICAL PIN 8 M6 X 32 DIN 7 TO DRG NO ISK 0459[00]  | 03-06-2020 |
| 20 | PIN FOR LOCKING CAT 1102 PIN LOCK SETTING TO DRG NO IMPD 0984[00]   | 03-06-2020 |
| 21 | CARRYING HANDLE CAT NO 14 5120 002902 TO DRG NO 23902[00]   | 03-06-2020 |
| 22 | PIN DIAMETER 20 C11 CAT 1153 PIN DIA 20 X 220 MM LENGTH TO DRG NO IMPD 0985[00]   | 03-06-2020 |
| 23 | OBLIQUE COUPLING CAT NO 14 5420 000016 TO DRG NO 23719[00]  | 03-06-2020 |
| 24 | WASHER 13 DIA FOR SR NO 1 TO DRG NO IMPD 0991[00]   | 03-06-2020 |
| 25 | STRAP CAT 1150 TO DRG NO IMPD 0981[00]  | 03-06-2020 |
| 26 | LOCKING LEVER JM LEVER CAT NO14 5120 002904 TO DRG NO 24219[00]   | 03-06-2020 |

|    |                       |  |            |
|----|-----------------------|--|------------|
| 27 |                       | PIN FOR LOCKING CAT 1101 BOLT CSK M10 X 35 TO DRG NO IMPD 0983[00]   | 03-06-2020 |
| 28 |                       | DUBO RETAINING RING FORM 303 CAT 1439 RING RETAINING NYLON 8 POINT 1 ID X 14 OD X 3 POINT 3 MM THICK TO DRG NO IMPD 0998[00]   | 03-06-2020 |
| 29 |                       | AXLE GUARD CAT 1326 GUARD AXLE TO DRG NO IMPD 0992[00]   | 03-06-2020 |
| 30 |                       | PRE CUP COMPONENT ANNEALED BLANK FOR 125 MM SCCC BASE TO OFAJ DRG NO CC 471 D[00]  | 08-06-2020 |
| 31 |                       | MOUTH PROTECTOR TO DRG NO CC 509 A FOR 125 MM SCCC METALIC BASE[00]  | 08-06-2020 |
| 32 |                       | PRE CUP BLANK ANNEALED TO DRG NO CC 508D FOR 76 point 2 MM CARTG CASE[00]  | 08-06-2020 |
| 33 |                       | CONVERSION OF ROLLED STEEL STRIP WITH SIZE 21 point 2 MM THICK X 230 MM WIDTH INTO CIRCULAR BLANK OF DIA 198 MM BY CNC PLASMA CUTTING FOR 76 point 2 MM CARTRIDGE CASE[00]   | 08-06-2020 |
| 34 |                       | CONVERSION OF ROLLED STEEL FLAT WITH SIZE 21 point 2 MM T X 230 MM W X 1840 MM L HIGH GRADE MILD KILLED STEEL OF GRADE 11 IOA SPECN TO GOST B19032 73 INTO CIRCULAR BLANK BY CNC PLASMA CUTTING FOR 125MM SCCC CA[00]                                  | 08-06-2020 |
| 35 |                       | CONVERSION OF ROLLED STEEL FLAT WITH SIZE 23 MM THICKNESS X 286 MM WIDTH X 1430 MM LENGTH HIGH GRAD MILD KILLED STEEL OF GRADE 11 IOA SPECIFICATION TO GOST B19032 73 INTO CERCULAR BLANK BY CNC PLASMA CUTTING REF DRG NO CC 303 Q FOR 125MM SCCC[00] | 08-06-2020 |
| 36 |                       | CERCULAR BLANK SIZE 239 point 5 MM DIA FOR SLUG OF AK 100 STEEL CARTRIDGE CASE TO DRG NO CC 548 AFTER CONVERSION AGAINST ITEM CODE W472017002[00]  | 08-06-2020 |
| 37 |                       | TRANSIT PLUG FOR CC AK 100 AS PER DRG NO CC100 SK 2105 A[00]   | 08-06-2020 |
| 38 | Heavy Vehicle Factory | Code 91 & 93 Stowage/Mounting of SPTA/Racks in Hull & Turret[62]   | 21-02-2019 |

**Registration No.** : AAACB5340H  
**Initial Date of Registration** : 29-01-2019  
**Downloaded at** : 27/04/2025 02:12 am

**Conditions of Registration:**

1. This Registration has been carried out based on self-declared documents furnished by Vendor.
2. Changes, if any, in Address or constitution of the Firm, major Machinery/Equipment or Technology should be intimated to the Registration Authority immediately.
3. The Registration Authority reserves the right to cancel this Registration Certificate at any time.
4. Registration will be valid for 05 years with automatic renewal unless cancelled on account of administrative reasons.

This is a system generated certificate. Hence no separate signature is required.

**NOTE:** It is only a registration of vendor. It does not grant any special supply status to the Vendor. It is for the purpose of participation in Tender process only.