

Government of India Ministry of Defence Ordnance Factory Board 10A, S.K. Bose Road Kolkata - 700001



CENTRALISED VENDOR REGISTRATION CERTIFICATE

This is to certify that **M/s INDIA INDUSTRIAL ENTERPRISES**, 23, BRABOURNE ROAD, 4TH FLOOR BRABOURNE ROAD KOLKATA West Bengal is registered at Ordnance Factory Board for following Items.

| SI. No. | Factory / Unit | Item Nomenclature | Initial Date of Registration |
|------------|----------------------------|---|---------------------------------|
| 1 | Ordnance Factory Chanda | 0145060016 SHEET MILD STEEL 1830X915 Description : 0145060016 SHEET MILD STEEL 1830X915 [ENR Registration] | 03-05-2019 |
| 2 | | 0145060115 STRIP STEEL Description : 0145060115 STRIP STEEL [ENR Registration] | 03-05-2019 |
| 3 | | 0145061109 STRIP ST.COLD ROL 0.5MM THX190 MM W Description : 0145061109 STRIP ST.COLD ROL 0.5MM THX190 MM W [ENR Registration] | 03-05-2019 |
| 4 | Ordnance Factory Ambajhari | STEEL PLATE TO FB 70 OR ALTERNATIVE MATERIAL MN V STEEL UTS 590 MPA MIN YIELD STRESS 440 MPA MIN SIZE 2970 X 1175 X 11 MM OR 660 X 3525 X 11 MM OR 660 X 2350 X 11 MM ROLLING DIRECTION ALONG 2970 MM OR 660 MM DIMENSION IN LENGTH Description : STEEL PLATE TO FB 70 OR ALTERNATIVE MATERIAL MN V STEEL UTS 590 MPA MIN YIELD STRESS 440 MPA MIN SIZE 2970 X 1175 X 11 MM OR 660 X 3525 X 11 MM OR 660 X 2350 X 11 MM ROLLING DIRECTION ALONG 2970 MM OR 660 MM DIMENSION IN LENGTH [ENR Registration] | 21-05-2019 |
| 5 | | MILD STEEL FLAT TO GERMAN SPECIFICATION TU ST 37 OR 080M40 OF BS 970 PT I 83 COLD DRAWN OR 070M55 OF BS 970 PT I 83 SIZE 55MM X 8MM THICK X 450MM LENGTH Description : MILD STEEL FLAT TO GERMAN SPECIFICATION TU ST 37 OR 080M40 OF BS 970 PT I 83 COLD DRAWN OR 070M55 OF BS 970 PT I 83 SIZE 55MM X 8MM THICK X 450MM LENGTH [ENR Registration] | 09-07-2020 |

| 6 | MILD STEEL PLATE TO GERMAN SPECIFICATION M ST 52 3 SIZE 207 X 8 X 475 MM LENGTH TENSILE STRENGTH 52 TO 62 KG PER SQ MM Description : MILD STEEL PLATE TO GERMAN SPECIFICATION M ST 52 3 SIZE 207 X 8 X 475 MM LENGTH TENSILE STRENGTH 52 TO 62 KG PER SQ MM [ENR Registration] | 09-07-2020 |
|----|---|------------|
| 7 | MILD STEEL PLATE TO GERMAN SPECIFICATION M ST 52 POINT 3 SIZE 197MM PLUS 1 X 5MM X 210MM LENGTH TENSILE STRENGTH 52 TO 62 KG PER SQ MM Description : MILD STEEL PLATE TO GERMAN SPECIFICATION M ST 52 POINT 3 SIZE 197MM PLUS 1 X 5MM X 210MM LENGTH TENSILE STRENGTH 52 TO 62 KG PER SQ MM [ENR Registration] | 09-07-2020 |
| 8 | MILD STEEL PLATE TO GERMAN SPECIFICATION M ST 52 3 SIZE 197 MM PLUS 1 X 5 MM X 32 0MM LENGTH TENSILE STRENGTH 52 TO 62 KG PER SQ MM Description : MILD STEEL PLATE TO GERMAN SPECIFICATION M ST 52 3 SIZE 197 MM PLUS 1 X 5 MM X 32 0MM LENGTH TENSILE STRENGTH 52 TO 62 KG PER SQ MM [ENR Registration] | 09-07-2020 |
| 9 | HOT ROLLED STEEL ROUND TO SPECN IS 3748 1990 TO DESIGN T90Mn6WCr2 or T105Cr5 IN ANNEALED CONDITION COLOUR CODED TO IS 2049 1978 IN STRAIGHT LENGTH OF 2 TO 3 MTRS SIZE 20 POINT ZERO PLUS OR MINUS ZERO POINT 5 MM DIA Description : HOT ROLLED STEEL ROUND TO SPECN IS 3748 1990 TO DESIGN T90Mn6WCr2 or T105Cr5 IN ANNEALED CONDITION COLOUR CODED TO IS 2049 1978 IN STRAIGHT LENGTH OF 2 TO 3 MTRS SIZE 20 POINT ZERO PLUS OR MINUS ZERO POINT 5 MM DIA [ENR Registration] | 31-05-2022 |
| 10 | HOT ROLLED PLUS COLD DRAWN CARBON STEEL ROUNDS TO SPE00CN BS 970 PT I 1983 GRADE 08040 HAVING STRAIGHT LENGTH OF 3 MTRS 15 PERCE MAX SHORTS DOWN FROM 2 TO 3 MTRS PERMITTED SIZE 31 MINUS POINT 062 MM DIA Description : HOT ROLLED PLUS COLD DRAWN CARBON STEEL ROUNDS TO SPE00CN BS 970 PT I 1983 GRADE 08040 HAVING STRAIGHT LENGTH OF 3 MTRS 15 PERCE MAX SHORTS DOWN FROM 2 TO 3 MTRS PERMITTED SIZE 31 MINUS POINT 062 MM DIA [ENR Registration] | 15-06-2022 |

| 11 | Small Arms Factory | ST SHEET 1.00X1250X2500MM DD QUALITY. (COLD ROLLED) TO SPECIFICATION IS:513-(LATEST ISSUE). Description : ST SHEET 1.00X1250X2500MM DD QUALITY. (COLD ROLLED) TO SPECIFICATION IS:513-(LATEST ISSUE). [ENR Registration] | 23-05-2019 |
|----|---------------------------|---|------------|
| 12 | Ordnance Factory Kanpur | STEEL ROUND 150MM DIA Description : STEEL ROUND 150MM DIA [ENR Registration] | 15-06-2019 |
| 13 | | COLD DRAWN STEEL ROD 40MM DIA Description : COLD DRAWN STEEL ROD 40MM DIA [ENR Registration] | 15-06-2019 |
| 14 | | C.R. Bright Annealed Strip for 1.05mm 01 Description : C.R. Bright Annealed Strip for 1.05mm 01 [ENR Registration] | 15-06-2019 |
| 15 | | MS ROUND Description : MS ROUND [ENR Registration] | 15-06-2019 |
| 16 | | STEEL ROD 200 DIA Description : STEEL ROD 200 DIA [ENR Registration] | 15-06-2019 |
| 17 | | STEEL ROD 115MM DIA Description : STEEL ROD 115MM DIA [ENR Registration] | 15-06-2019 |
| 18 | | STEEL FLAT Description : STEEL FLAT [ENR Registration] | 15-06-2019 |
| 19 | | STEEL HSS ROUND 45 MM DIA Description : STEEL HSS ROUND 45 MM DIA [ENR Registration] | 15-06-2019 |
| 20 | | STEEL FLAT 150SX140X1300MM SAE H 13 Description : STEEL FLAT 150SX140X1300MM SAE H 13 [ENR Registration] | 15-06-2019 |
| 21 | Ammunition Factory Khadki | T AND D STEEL RND 20MM DIA 133 T 3 [ENR Registration] | 21-06-2019 |
| 22 | | T AND D ST RND 133 T 3 ANN AND STRA 40MM D [ENR Registration] | 21-06-2019 |
| 23 | | T and D RND 133 T 3 45 MM 2 TO 3 MTR [ENR Registration] | 21-06-2019 |
| 24 | | ST TOOL CAR 25 MM GRT50W2CRI V18 [ENR Registration] | 21-06-2019 |
| 25 | | TOOL STEEL RD 12 MM [ENR Registration] | 21-06-2019 |

| 26 | Metal and Steel Factory | HOT ROLLED HEAT TREATED PEELED OR | 22-02-2023 |
|----|-------------------------|--|------------|
| | | MACHINED AND UT PASSED STEEL ROD | |
| | | Description : HOT ROLLED HEAT TREATED | |
| | | PEELED OR MACHINED AND UT PASSED STEEL | |
| | | ROD [ENR Registration] | |

| Registration No. | : AAAFI8055K |
|------------------------------|-----------------------|
| Initial Date of Registration | : 03-05-2019 |
| Downloaded at | : 29/04/2025 05:01 am |

Conditions of Registration:

- 1. This Registration has been carried out based on self-declared documents furnished by Vendor.
- 2. Changes, if any, in Address or constitution of the Firm, major Machinery/Equipment or Technology should be intimated to the Registration Authority immediately.
- 3. The Registration Authority reserves the right to cancel this Registration Certificate at any time.
- 4. Registration will be valid for 05 years with automatic renewal unless cancelled on account of administrative reasons.

This is a system generated certificate. Hence no separate signature is required.

NOTE: It is only a registration of vendor. It does not grant any special supply status to the Vendor. It is for the purpose of participation in Tender process only.