



**Government of India
Ministry of Defence
Ordnance Factory Board
10A, S.K. Bose Road
Kolkata - 700001**



CENTRALISED VENDOR REGISTRATION CERTIFICATE

This is to certify that **M/s Saraswati Engineering Limited, D-12, site 1, Panki Industrial Estate kanpur Uttar Pradesh** is registered at Ordnance Factory Board for following Items.

Sl. No.	Factory / Unit	Item Nomenclature	Initial Date of Registration
1	Ordnance Equipment Factory	PIN TENT ANGLE IRON MED. MK-2[21]	18-04-2018
2		DEES STEEL 38 MM X 32 MM X 4 MM - A.F.[21]	18-04-2018
3		"D RING VARIOUS[21]	18-04-2018
4		"DEES STEELS VARIOUS[21]	18-04-2018
5		BUCKLE IRON VARIOUS[21]	18-04-2018
6		BUCKLE ALU. ALLOY OR ATTACHMENTS QR OR RINGS VARIOUS[21]	18-04-2018
7		BUCKLE BRASS OR ATTACHMENTS QR OR RINGS OR DEES VARIOUS[21]	18-04-2018
8		PIN TENT ANGLE IRON MED.MK-2 - AF[21]	18-04-2018
9		TRADE ASSISTANCE FOR HOT DIP GALVANIZATION OF TENT COMPONENTS[21]	18-04-2018
10		FOUR WAY JOINT ALUMINIUM ALLOY DIE CASTING TO IS: 617[21]	18-04-2018
11		FOUR WAY JOINT CADMIUM PLATED FOR A/F[21]	18-04-2018
12		PIN CARBON STEEL SMALL - AF[21]	18-04-2018
13		CLIP 60MM[21]	18-04-2018
14		LOCKING CLIP 60 MM[21]	18-04-2018
15		HINGE PIN[21]	18-04-2018
16		BOLTS & NUTS STEEL VARIOUS[21]	18-04-2018

17	CHAIN FOR POLE STANDING ALUMINIUM ALLOY. DRG.NO. SK-1001[21]	18-04-2018
18	EPOXY POWDER COATING BLACK OF ALUMINIUM FRAME FOR SYNTHETIC WEB EQUIPMENT PACK ICK[21]	18-04-2018
19	FLAT HEAD PIN DIA 2MM LG.13MM(QS)[21]	18-04-2018
20	FLAT HEAD MS PIN DIA 3.2 X LG.5 MM[21]	18-04-2018
21	GAL. M.S. SEAL FOR 12 MM WIDE IRON HOOP[21]	18-04-2018
22	GALVANIZED MILD STEEL SEAL FOR USE WITH MILD STEEL HOOPS 16 MM WIDE & 0.9 MM THICK[21]	18-04-2018
23	GALVANIZED MILD STEEL SEALS SUITABLE FORUSE WITH TAPE POLYTHINE/RAYON STRAPPING 12.5 +/- 0.5MM[21]	18-04-2018
24	HAMMERS VARIOUS[21]	18-04-2018
25	HEATER SPACE OIL BURNING-CONTROL VALVE BODY[21]	18-04-2018
26	HING WITH LINK COMPLETE ASSEMBLED AS PER DRG. NO. SE-221 OF SHEET 2/2 DET 6[21]	18-04-2018
27	HOOK VARIOUS OR WITH ATTACHMENTS[21]	18-04-2018
28	LINK FOR HINGE FOR CARRIER-13-A DRG. NO.SK-1002[21]	18-04-2018
29	MILD STEEL HOOPS 16 MM WIDE & 0.9 MM THICK[21]	18-04-2018
30	PLATE HOOK AS PER DRG.NO.SE-232 DET 2[21]	18-04-2018
31	POLE SIDE ALU. ALLOY COMPLETE ASSEMBLED DRG. NO. CIGS/GS-3/17[21]	18-04-2018
32	POLE STANDING ALU. ALLOY COMPLETE ASSEMBLED DRG. NO. CIGS/GS-3/17[21]	18-04-2018
33	S.M. SPLIT PIN 1.6 X 16 MM LONG[21]	18-04-2018
34	SHELTER PORTABLE NO.6 MK-2 PIN 381 MM (DROP FORGED)[21]	18-04-2018
35	STEEL SQUARES VARIOUS[21]	18-04-2018
36	STRENGTHENING PIECE FOR BOX C-18[21]	18-04-2018
37	WASHERS BRASS VARIOUS[21]	18-04-2018

38		WASHERS COPPER VARIOUS[21]	18-04-2018
39	Ammunition Factory Khadki	BOX STEEL NO. S 6 MK1 DRG.ARDE 2225[65]	13-08-2018
40		BOX 682 MKI W/O LINER IA 896/1[6570120090]	13-08-2018
41		BOX NO.428 MK.1[6570120100]	13-08-2018
42		BOX NO. 582 MK-1[6570127200]	13-08-2018
43		BOX C 28 A STEEL[6570356000]	13-08-2018
44		AMMN.CONT.BOX H-76 MK1 DRGNO 1A 914[6570410000]	13-08-2018
45		BOX M 104 MK1 PAINTED OLIVE GREEN[65]	13-08-2018
46		BOX B 184 MK 1 W/O SEPARATOR[6570052000]	13-08-2018
47		AMMN.CONTAINER BOX B-9 A[6570151000]	13-08-2018
48		BOX G 70 MK1(STEEL)OLIVE GREEN.[6570160000]	13-08-2018

Registration No. : AAEC3937P
Initial Date of Registration : 18-04-2018
Downloaded at : 26/04/2025 05:21 am

Conditions of Registration:

1. This Registration has been carried out based on self-declared documents furnished by Vendor.
2. Changes, if any, in Address or constitution of the Firm, major Machinery/Equipment or Technology should be intimated to the Registration Authority immediately.
3. The Registration Authority reserves the right to cancel this Registration Certificate at any time.
4. Registration will be valid for 05 years with automatic renewal unless cancelled on account of administrative reasons.

This is a system generated certificate. Hence no separate signature is required.

NOTE: It is only a registration of vendor. It does not grant any special supply status to the Vendor. It is for the purpose of participation in Tender process only.