



**Government of India  
Ministry of Defence  
Ordnance Factory Board  
10A, S.K. Bose Road  
Kolkata - 700001**



**CENTRALISED VENDOR REGISTRATION CERTIFICATE**

This is to certify that **M/s RIYA ENTERPRISE, 30/2/4/1 N.S.DUTTA ROAD P.O. : KADAMTALLA, HOWRAH : 711101. POWER HOUSE HOWRAH West Bengal** is registered at Ordnance Factory Board for following Items.

| Sl. No. | Factory / Unit        | Item Nomenclature  | Initial Date of Registration |
|---------|-----------------------|--|------------------------------|
| 1       | Rifle Factory Ishapur | MAGAZINE TUBE WITH PLUG (RFI SK 9609) FOR 12 BORE PAG[70]  | 22-06-2018                   |
| 2       |                       | BLADE FORE SIGHT FOR 9MM PISTOL AUTO 1A.[70]   | 22-06-2018                   |
| 3       |                       | BLOCK REAR BLANK (MODIFIED) RIFLE 5.56MM INSAS FOLDING BUTT (STEEL).[70]   | 18-01-2022                   |
| 4       |                       | CYLINDER GAS FOR RIFLE 5.56MM INSAS[70]  | 18-01-2022                   |
| 5       |                       | LEVER SLIDE LOCKING (SEMI FINISHED) FOR FOR PISTOL AUTO 9MM 1A.[70]  | 22-06-2018                   |
| 6       |                       | LINK HAMMER FOR PISTOL AUTO 9MM 1A[70]   | 22-06-2018                   |
| 7       |                       | LOCKING PIECE FOR 9MM PISTOL AUTO 1A.[70]  | 22-06-2018                   |
| 8       |                       | MAGAZINE COVER PIPE FOR 12 BORE MODIFIED PUMP ACTION GUN [70]  | 07-10-2018                   |
| 9       |                       | NUT FORE SIGHT FOR 7.62 MM ASSAULT RIFLE (GHAATAK) AS PERDRG. NO. AR/01/23 ALT[70]                                 | 22-06-2018                   |
| 10      |                       | PLUNGER FOR 7062 MM ASSAULT RIFLE (GHAATAK) AS PER DRG. NO. AR/01/26.[70]  | 18-01-2022                   |
| 11      |                       | SEMI FINISHED DOVETAIL FOR RIFLE 5.56MM INSAS.AS PER RFI SK.NO.6448*2 (EXCEPT HEAT TREATMENT AND PHOSPHATING).[79] | 22-06-2018                   |
| 12      |                       | TOOL ADJUSTING SIGHT (LEFT-RIGHT) FOR 7.62 MM ASSAULT RIFLE(GHAATAK)[70]   | 22-06-2018                   |
| 13      |                       | BLOCK REAR BLANK FOR GHAATAK[70]   | 18-01-2022                   |

|    |   |            |
|----|---|------------|
| 14 | MODIFIED LEVER CHANGE FOR ASSAULT RIFLE<br>GHAATAK[70]                              | 18-01-2022 |
| 15 | LEVER HOLDER FOR 12 BORE PUMP ACTION<br>GUN, RFI DRG. NO. PAG-0012*[70]             | 18-01-2022 |
| 16 | LOCK NUT FOR 12 BORE MODIFIED PUMP<br>ACTION GUN[70]                                | 18-01-2022 |
| 17 | PIN PLUNGER TRIPPING LEVER FOR PISTOL<br>AUTO 9MM 1A[70]                            | 18-01-2022 |
| 18 | LEAF BACK SIGHT FOR 7.62 MM ASSAULT RIFLE<br>(GHAATAK) AS PER DRG.NO. AR/01/28.[70] | 18-01-2022 |
| 19 | UPPER BLOCK BARREL OF TEAR GAS GUN[70]  | 18-01-2022 |
| 20 | BAND FORE SIGHT FOR SPORTING RIFLE[70]  | 18-01-2022 |
| 21 | EXTRACTOR FOR SPORTING RIFLE[70]  | 18-01-2022 |
| 22 | HOLDER FOR SPORTING RIFLE[70]   | 18-01-2022 |
| 23 | EXTRACTOR LEFT FOR 12 BORE PUMP ACTION<br>GUN[70]                                   | 18-01-2022 |
| 24 | EXTRACTOR RIGHT FOR 12 BORE PUMP ACTION<br>GUN[70]                                  | 18-01-2022 |
| 25 | BREECH SLIDE LOCKFOR 12 BORE PAG[70]  | 18-01-2022 |
| 26 | MAGAZINE TUBE LOCKING HOLDER FOR 12<br>BORE PAG[70]                                 | 18-01-2022 |
| 27 | PULL THROUGH FOR 5.56MM INSAS (NYLON)[70]   | 18-01-2022 |
| 28 | GAS REGULATOR FOR RIFLE 5.56MM.INSAS[70]  | 18-01-2022 |
| 29 | COCKING PIECE FOR 12 BORE PUMP ACTION<br>GUN.[70]                                   | 18-01-2022 |
| 30 | BREECH BLOCK SLIDE FOR 12 BORE PUMP<br>ACTION GUN.[70]                              | 18-01-2022 |
| 31 | SPACER FOR 7.62MM ASSAULT RIFLE<br>(GHAATAK) AS PER DRG. NO. AR/03/5.[70]           | 18-01-2022 |
| 32 | CHANNEL LEFT FOR 7.62MM ASSAULT RIFLE<br>(GHAATAK) AS PER DRG. NO. AR/03/6-RFI.[70] | 18-01-2022 |
| 33 | CHANNEL RIGHT FOR 7.62MM ASSAULT RIFLE<br>(GHAATAK) AS PER DRG.NO. AR/03/7-RFI.[70] | 18-01-2022 |
| 34 | PISTON (MODIFIED), DRG. NO. AR/07/2-RFI FOR<br>7.62 ASSAULT RIFLE (GHAATAK).[70]    | 18-01-2022 |

|    |   |            |
|----|---|------------|
| 35 | GUIDE, SPRING RECOIL REAR TO D.S. CAT NO.1005-007809 (DC-26467-SA). FOR RIFLE 5.56MM INSAS.[79]   | 18-01-2022 |
| 36 | LEVER CHANGE FOR 7.62MM ASSAULT RIFLE AS PER DRAWING NO.AR/012/1-RFI.[70]   | 18-01-2022 |
| 37 | HOUSING PLUNGER FOR 7.62MM ASSAULT RIFLE (GHAATAK) AS PER DRG. NO. AR/01/25.[70]  | 18-01-2022 |
| 38 | SEAR FOR 7.62MM ASSAULT RIFLE AS PER DRG. NO.ARDE SK 3147/14[70]  | 18-01-2022 |
| 39 | BLOCK FIXING PISTOL GRIP TO DS CAT NO.1005-007784 ( DC-26502-SA ). FOR RIFLE 5.56MM INSAS.[79]  | 18-01-2022 |
| 40 | STRIKER PIN FOR SPORTING RIFLE[70]  | 18-01-2022 |
| 41 | PIN HAMMER, TRIGGER, SAFETY SEAR FOR 7.62MM GHAATAK[70]   | 18-01-2022 |
| 42 | SPRING PLUNGER HOUSING AND STOP PIN FOR GHAATAK[70]   | 18-01-2022 |
| 43 | MODIFIED SAFETY LEVER FOR 0.32[70]  | 18-01-2022 |
| 44 | CATCH SAFETY TO DRG. NO.SP-46 (LATEST DC-RFI NO.04/030/02DATED 30/7/02) FOR .315[70]  | 18-01-2022 |
| 45 | SEAR TO DRG. NO. SP-60 (LT. DC-04/005/02 DT.25-03-2002)FOR .315[70]   | 18-01-2022 |
| 46 | SEAR FOR 9MM AUTO PISTOL 1A.[70]  | 18-01-2022 |
| 47 | ARM SEAR CONNECTING TO DS CAT.NO.1005-003196(DC-26816-SA DT.16-4-2016)(MACRO ETCH TEST TO ASTM E 381-1984 WILL BE AS PER COL.(C) OF SL.NO.1 OF CQA(SA) NOTE SHEET NO.1)&(NMIR TEST TO IS : 4163 WILL BE AS PER COL.(C) OF SL.NO.3 OF CQA(SA) NOTESHEET NO.1).[70] | 18-01-2022 |
| 48 | LOCKING PIECE TO DS CAT NO. 1005-003146( LT.DC-24599 SA.DT.27-12-99 )(MACRO ETCH TEST TO ASTM E 381-84 WILL BE AS PER COL.(C) OF SL.NO.1 OF CQA(SA) NOTE SHEET NO.1 & NMIR TEST TO IS : 4163 WILL BE AS PER COL.(C) SL.NO.3 OF CQA(SA) NOTESHEET NO.1. FOR P[70]  | 18-01-2022 |

|    |                       |  |            |
|----|-----------------------|--|------------|
| 49 |                       | GUIDE SPRING MAIN ASSY.DS CAT NO.5360-0073 90(LT.DC-25139-SADT.08-10-2001)CONSISTING OF 1)GUIDE SPRING MAIN-1005-003186(DC-26826-SA),2)PLUG GUIDE-1 005-003187(DC-26832-SA),3)SPRINGLEVER LOCKING 1005-003188 (DC-26816-SA) & CHROMIUM ALLOYSTEEL BALL 3.97M[70]   | 18-01-2022 |
| 50 |                       | LINK HAMMER TO DSCATNO.3040-003489(LT.DC-25056-SA,DT.2/7/01 )( MACROETCH TEST TO ASTM E 381-1984 WILL BE AS PER COL.(C) OFSL.NO.1 OF CQA(SA) NOTE SHEET NO.1 ) & (NMIR TEST TO IS:4163WILL BE AS PER COL.(C) OF SL.NO.3 OF CQA(SA) NOTE SHEET NO.1FOR PISTOL[70]   | 18-01-2022 |
| 51 |                       | TGG-103,LOWER BLOCK BARREL FOR TEAR GAS GUN (LATEST DC RFI NO. 09/022/14 DT.27.03.14) FROM TRADE SOURCE.[70]   | 18-01-2022 |
| 52 | Small Arms Factory    | SIGHT REAR FOR MAG 7.62MM TO DRG. NO. DS CAT NO. 1005-006621 DC(I) NO. 25317-SA DT- 03.04.2002 IN FINISHED CONDITION.[70]  | 10-09-2018 |
| 53 |                       | REBOUND SLIDE TO DRG NO PHMK-III-1-22 IN FINISHED CONDITION REQUIRED FOR RECOVER MK-III Description : REBOUND SLIDE TO DRG NO PHMK-III-1-22 IN FINISHED CONDITION REQUIRED FOR RECOVER MK-III [ENR Registration]   | 26-04-2019 |
| 54 |                       | CATCH REAR SIGHT CURSOR for MAG Description : CATCH REAR SIGHT CURSOR for MAG [ENR Registration]   | 26-04-2019 |
| 55 |                       | GUIDE, UPPER RIGHT TO DS CAT NO. 1005-006839 DC(I) NO. 25338-SA DT- 23.4.02 IN WITHOUT HEAT TREATMENT CONDITION. Description : GUIDE, UPPER RIGHT TO DS CAT NO. 1005-006839 DC(I) NO. 25338-SA DT- 23.4.02 IN WITHOUT HEAT TREATMENT CONDITION. [ENR Registration] | 26-04-2019 |
| 56 |                       | PULL THROUGH 5.56MM1A (NYLON) TO DS CAT NO. 1005-557944 DC(I) NO. 26532-SA , DT. 30-07-10 Description : PULL THROUGH 5.56MM1A (NYLON) TO DS CAT NO. 1005-557944 DC(I) NO. 26532-SA , DT. 30-07-10 [ENR Registration]   | 26-04-2019 |
| 57 | Gun and Shell Factory | Cap Spring Return to Drg. No. CTM-0125/1 TO 6 IN F/C[70]   | 26-12-2020 |

|    |                                 |   |            |
|----|---------------------------------|---|------------|
| 58 |                                 | TRIGGER WITHOUT NICKEL PLATING TO DRG. NO: CTM-0033 A (PB-10) DT:-20.1202 IN FINISHED CONDITION[70] | 26-12-2020 |
| 59 |                                 | LEVER SEAR TO DRG. NO.M-8202F(PB-16) FOR 0.32[70]   | 26-12-2020 |
| 60 |                                 | PIN FIRING FRONT (PB-22) TO DRG. NO-CTM-0029A IN FINISHED CONDITION[70]                             | 26-12-2020 |
| 61 |                                 | CAP SPRING RETURN OPENER TO DRG. NO. CTM-0126 IN F/C[70]  | 26-12-2020 |
| 62 |                                 | SPRING HAMMER TO DRG.NO.M-8277-B (PB-13) IN FINISHED CONDITION.[70]                                 | 26-12-2020 |
| 63 |                                 | SPIGOT TO DS. CAT. NO. 1005-001756 IN FINISHED CONDITION[70]  | 26-12-2020 |
| 64 |                                 | BOLT CATCH TO D S CAT NO 5306 006656[71]  | 26-12-2020 |
| 65 |                                 | EXTRACTOR TO DRG. NO. CTM-0121/1 TO CTM-0121/6 IN FC[70]  | 01-07-2021 |
| 66 |                                 | PUSH PIN & LOCK PIN TO DRG. NO. CTM-0111/1 TO CTM-0111/6[70]  | 03-05-2023 |
| 67 | Ordnance Factory Tiruchirapalli | SUPPLY OF GAS PISTON BLANK AS PER DRG NO TEND 2547 STAR 5 WITH FIRMS MATERIAL[70]                   | 24-06-2024 |
| 68 |                                 | REAR GUIDE RETAINER TUBE AS PER DRG NO K 2092STAR3 WITH FIRMS MATERIAL[70]                          | 24-06-2024 |
| 69 |                                 | COMPENSATOR 2016[70]  | 24-06-2024 |
| 70 |                                 | SUPPLY OF PIN FIXING TRUNNION AS PER DRG No K 4008 WITH FIRMS MATERIAL REQUIRED FOR TAR[70]         | 24-06-2024 |

**Registration No.** : AJ0PB9863F  
**Initial Date of Registration** : 22-06-2018  
**Downloaded at** : 11/01/2025 03:29 pm

**Conditions of Registration:**

1. This Registration has been carried out based on self-declared documents furnished by Vendor.
2. Changes, if any, in Address or constitution of the Firm, major Machinery/Equipment or Technology should be intimated to the Registration Authority immediately.
3. The Registration Authority reserves the right to cancel this Registration Certificate at any time.
4. Registration will be valid for 05 years with automatic renewal unless cancelled on account of administrative reasons.

This is a system generated certificate. Hence no separate signature is required.

**NOTE:** It is only a registration of vendor. It does not grant any special supply status to the Vendor. It is for the purpose of participation in Tender process only.