



**Government of India
Ministry of Defence
Ordnance Factory Board
10A, S.K. Bose Road
Kolkata - 700001**



CENTRALISED VENDOR REGISTRATION CERTIFICATE

This is to certify that **M/s INDIA INDUSTRIAL ENTERPRISES(I202), No 116 SIDCO AIEMA TOWER,AMBATTUR INDUSTRIAL ESTATE CHENNAI TAMIL NADU** is registered at Ordnance Factory Board for following Items.

| Sl. No. | Factory / Unit | Item Nomenclature | Initial Date of Registration |
|---------|--------------------------|---|------------------------------|
| 1 | Vehicle Factory Jabalpur | BRIGHT BAR 55 DIA X 35 LENGTH IS 2073 Description : BRIGHT BAR 55 DIA X 35 LENGTH IS 2073 [ENR Registration] | 02-04-2019 |
| 2 | | Bright Bar 45 dia X 85 length IS 2073 Description : Bright Bar 45 dia X 85 length IS 2073 [ENR Registration] | 02-04-2019 |
| 3 | | M.S. BLOCK SIZE -20X170X155 FOR LEVER RHS OF MPV HULL Description : M.S. BLOCK SIZE -20X170X155 FOR LEVER RHS OF MPV HULL [ENR Registration] | 02-04-2019 |
| 4 | | M.S. BLOCK SIZE -20X182X125 FOR LEVER LHS OF MPV HULL Description : M.S. BLOCK SIZE -20X182X125 FOR LEVER LHS OF MPV HULL [ENR Registration] | 02-04-2019 |
| 5 | | M S BLOCK 65X173X185 Description : M S BLOCK 65X173X185 [ENR Registration] | 02-04-2019 |
| 6 | | MS PLATE 25 MM THICK Description : MS PLATE 25 MM THICK [ENR Registration] | 02-04-2019 |
| 7 | | MS Angle 50x50x5 MM THICK Description : MS Angle 50x50x5 MM THICK [ENR Registration] | 02-04-2019 |
| 8 | | M.S. BLOCK SIZE -90X95X95 FOR LEVER LHS & RHS OF MPV HULL Description : M.S. BLOCK SIZE -90X95X95 FOR LEVER LHS & RHS OF MPV HULL [ENR Registration] | 02-04-2019 |
| 9 | | MS ANGLE IRON 50x50x6MM Description : MS ANGLE IRON 50x50x6MM [ENR Registration] | 02-04-2019 |

| | | | |
|----|-----------------------|--|------------|
| 10 | | MS PLATE 12 MM IS 2062 Description : MS PLATE 12 MM IS 2062 [ENR Registration] | 02-04-2019 |
| 11 | | MS PLATE 16 MM IS 2062 GR B Description : MS PLATE 16 MM IS 2062 GR B [ENR Registration] | 02-04-2019 |
| 12 | | RIB 3 MM TH ST 42 IS 1079 Description : RIB 3 MM TH ST 42 IS 1079 [ENR Registration] | 02-04-2019 |
| 13 | | Steel Block IS 1079 Description : Steel Block IS 1079 [ENR Registration] | 02-04-2019 |
| 14 | | STEEL BLOCK SIZE 65X40X55 MM ST42 IS 1079 Description : STEEL BLOCK SIZE 65X40X55 MM ST42 IS 1079 [ENR Registration] | 02-04-2019 |
| 15 | | STEEL ROD 45 MM DIA X 150 MM LENGTH Description : STEEL ROD 45 MM DIA X 150 MM LENGTH [ENR Registration] | 02-04-2019 |
| 16 | | STEEL ROD 45 DIA EN 9/BS 970 [ENR Registration] | 02-04-2019 |
| 17 | | U-BLOCK SIZE 95X135X165 ST-42-IS-1079 Description : U-BLOCK SIZE 95X135X165 ST-42-IS-1079 [ENR Registration] | 02-04-2019 |
| 18 | | STEEL ROUND 25 MM DIA Description : STEEL ROUND 25 MM DIA [ENR Registration] | 25-04-2019 |
| 19 | | STEEL ROUND 32 MM DIA FOR MANUFACTURING OF PT NO F0928415 B Description : STEEL ROUND 32 MM DIA FOR MANUFACTURING OF PT NO F0928415 B [ENR Registration] | 25-04-2019 |
| 20 | | LPTA Steel Rod 18 MM Description : LPTA Steel Rod 18 MM [ENR Registration] | 25-04-2019 |
| 21 | | LPTA Steel Rod 24 MM Description : LPTA Steel Rod 24 MM [ENR Registration] | 25-04-2019 |
| 22 | Heavy Vehicle Factory | 18X2H4BA 18X2H4MA GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0415150125 Description : 18X2H4BA 18X2H4MA GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0415150125 [ENR Registration] | 17-06-2019 |
| 23 | | PLATE GR ST 15 3 T TO 0122022492 Description : PLATE GR ST 15 3 T TO 0122022492 [ENR Registration] | 17-06-2019 |

| | | |
|----|---|------------|
| 24 | ROUND STEEL EN24 85MM DIA TO 0334002085 Description : ROUND STEEL EN24 85MM DIA TO 0334002085 [ENR Registration] | 17-06-2019 |
| 25 | SHEET GR 30XGCA 3 GOST 11269 76 TO 0416222633 Description : SHEET GR 30XGCA 3 GOST 11269 76 TO 0416222633 [ENR Registration] | 17-06-2019 |
| 26 | 30XGCA GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0416200085 Description : 30XGCA GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0416200085 [ENR Registration] | 17-06-2019 |
| 27 | ROUND BAR DIA 125MM TO 0103000125 Description : ROUND BAR DIA 125MM TO 0103000125 [ENR Registration] | 17-06-2019 |
| 28 | ROUND 45MM DIA TO 0415100045 Description : ROUND 45MM DIA TO 0415100045 [ENR Registration] | 17-06-2019 |
| 29 | 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300048 Description : 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300048 [ENR Registration] | 17-06-2019 |
| 30 | ROUND 30MM GR 65C2BA TO 0218500030 Description : ROUND 30MM GR 65C2BA TO 0218500030 [ENR Registration] | 17-06-2019 |
| 31 | STEEL 65C2BA TO 0218500036 Description : STEEL 65C2BA TO 0218500036 [ENR Registration] | 17-06-2019 |
| 32 | DIE BLOCK SIZE 305x305x254MM 12X12X10IN FORGED H T COND N TO 0233088310 Description : DIE BLOCK SIZE 305x305x254MM 12X12X10IN FORGED H T COND N TO 0233088310 [ENR Registration] | 17-06-2019 |
| 33 | DIE BLOCK SIZE 381X381X305MM 15X15X12IN FORGED H T COND N TO 0233088372 Description : DIE BLOCK SIZE 381X381X305MM 15X15X12IN FORGED H T COND N TO 0233088372 [ENR Registration] | 17-06-2019 |
| 34 | DIE BLOCK FORGED 20x20x15 508x508x381MM TO 0233088457 Description : DIE BLOCK FORGED 20x20x15 508x508x381MM TO 0233088457 [ENR Registration] | 17-06-2019 |

| | | |
|----|--|------------|
| 35 | DIE BLOCK SIZE 1120X900X560MM 44X36X22IN FORGED OIL HARDENED AND TEMPERED CONDITION TO 0233088600 Description : DIE BLOCK SIZE 1120X900X560MM 44X36X22IN FORGED OIL HARDENED AND TEMPERED CONDITION TO 0233088600 [ENR Registration] | 17-06-2019 |
| 36 | 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300065 Description : 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300065 [ENR Registration] | 17-06-2019 |
| 37 | 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300100 Description : 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300100 [ENR Registration] | 17-06-2019 |
| 38 | 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300150 Description : 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300150 [ENR Registration] | 17-06-2019 |
| 39 | 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300180 Description : 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300180 [ENR Registration] | 17-06-2019 |
| 40 | 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300056 Description : 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300056 [ENR Registration] | 17-06-2019 |
| 41 | ROUND MILD ST 63 MM DIA TO 0101000063 Description : ROUND MILD ST 63 MM DIA TO 0101000063 [ENR Registration] | 17-06-2019 |
| 42 | STEEL 38XC TO 0353300012 Description : STEEL 38XC TO 0353300012 [ENR Registration] | 17-06-2019 |
| 43 | ROUND EN43 DIA STEEL TO 0181100050 Description : ROUND EN43 DIA STEEL TO 0181100050 [ENR Registration] | 17-06-2019 |

| | | |
|----|---|------------|
| 44 | ROUND EN43 3 DIA STEEL TO 0181100076 Description : ROUND EN43 3 DIA STEEL TO 0181100076 [ENR Registration] | 17-06-2019 |
| 45 | ROUND ST EN43 100MM DIA TO 0181100100 Description : ROUND ST EN43 100MM DIA TO 0181100100 [ENR Registration] | 17-06-2019 |
| 46 | SHEET 5 III 10KP HARTEN TO 0103020020 Description : SHEET 5 III 10KP HARTEN TO 0103020020 [ENR Registration] | 17-06-2019 |
| 47 | SQUARE OPEN HEARTH STEEL15 TO 0131050050 Description : SQUARE OPEN HEARTH STEEL15 TO 0131050050 [ENR Registration] | 17-06-2019 |
| 48 | ROUND GR 20X2H4A TO 0412500038 Description : ROUND GR 20X2H4A TO 0412500038 [ENR Registration] | 17-06-2019 |
| 49 | 38XC GOST 4543 71 HOT ROLLED FORGED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300250 Description : 38XC GOST 4543 71 HOT ROLLED FORGED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300250 [ENR Registration] | 17-06-2019 |
| 50 | ROUND STEEL GR 30XGCA TO 0416200052 Description : ROUND STEEL GR 30XGCA TO 0416200052 [ENR Registration] | 17-06-2019 |
| 51 | ROUND 20MM DIA ST EN3A TO 0133000020 Description : ROUND 20MM DIA ST EN3A TO 0133000020 [ENR Registration] | 17-06-2019 |
| 52 | OPEN HEARTH STEEL 15 TO 0122022698 Description : OPEN HEARTH STEEL 15 TO 0122022698 [ENR Registration] | 17-06-2019 |
| 53 | PLATE STEEL GR 09G2 6 26X750 1500X3000MM TO 0326422717 Description : PLATE STEEL GR 09G2 6 26X750 1500X3000MM TO 0326422717 [ENR Registration] | 17-06-2019 |
| 54 | SHEET GR ST 15 4 II 1 5MMX1000MMX2000MM TO 0122022444 Description : SHEET GR ST 15 4 II 1 5MMX1000MMX2000MM TO 0122022444 [ENR Registration] | 17-06-2019 |
| 55 | STEEL 20X TO 0412500020 Description : STEEL 20X TO 0412500020 [ENR Registration] | 17-06-2019 |

| | | |
|----|--|------------|
| 56 | 20X2H4A GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0412500034 Description : 20X2H4A GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0412500034 [ENR Registration] | 17-06-2019 |
| 57 | 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300085 Description : 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300085 [ENR Registration] | 17-06-2019 |
| 58 | PLATE GR ST 15 3 T 14x1250x5300MM LONG HOT ROLLED ANNEALED TO 0122022643 Description : PLATE GR ST 15 3 T 14x1250x5300MM LONG HOT ROLLED ANNEALED TO 0122022643 [ENR Registration] | 17-06-2019 |
| 59 | PLATE GRADE ST15 3 T 15X1250X1800MM TO 0122022647 Description : PLATE GRADE ST15 3 T 15X1250X1800MM TO 0122022647 [ENR Registration] | 17-06-2019 |
| 60 | ROUND GR 38XC 8MM DIA STEEL A M STEEL GR 817M40 En 24 TO BS 970 Pt 1 1983 TO 0353300008 Description : ROUND GR 38XC 8MM DIA STEEL A M STEEL GR 817M40 En 24 TO BS 970 Pt 1 1983 TO 0353300008 [ENR Registration] | 17-06-2019 |
| 61 | ROUND GR ST 40 38 MM DIA 38 MM DIA STEEL TO 0141000038 Description : ROUND GR ST 40 38 MM DIA 38 MM DIA STEEL TO 0141000038 [ENR Registration] | 17-06-2019 |
| 62 | ROUND GR ST 40 22MM DIA 22MM DIA STEEL TO 0141000022 Description : ROUND GR ST 40 22MM DIA 22MM DIA STEEL TO 0141000022 [ENR Registration] | 17-06-2019 |
| 63 | DIE BLOCK SIZE 812X812X610MM 32X32X24IN FORGED OIL HARDENED AND TEMPERED CONDITION TO 0233088511 Description : DIE BLOCK SIZE 812X812X610MM 32X32X24IN FORGED OIL HARDENED AND TEMPERED CONDITION TO 0233088511 [ENR Registration] | 17-06-2019 |

| | | |
|----|--|------------|
| 64 | DIE BLOCK SIZE 812x812x710MM 32X32X28IN FORGED H T COND N TO 0233088513 Description : DIE BLOCK SIZE 812x812x710MM 32X32X28IN FORGED H T COND N TO 0233088513 [ENR Registration] | 17-06-2019 |
| 65 | SHEET TO 0131022465 Description : SHEET TO 0131022465 [ENR Registration] | 17-06-2019 |
| 66 | ROUND EN 3A BLK 90MM DIA 90 MM DIA STEEL 15 GOST 1050 88 U O 175 33 518 TO 0133000089 Description : ROUND EN 3A BLK 90MM DIA 90 MM DIA STEEL 15 GOST 1050 88 U O 175 33 518 TO 0133000089 [ENR Registration] | 17-06-2019 |
| 67 | ROUND ST EN16 12 MM DIA TO 0283002012 Description : ROUND ST EN16 12 MM DIA TO 0283002012 [ENR Registration] | 17-06-2019 |
| 68 | STEEL 20 GOST 1050 74 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0131000100 Description : STEEL 20 GOST 1050 74 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0131000100 [ENR Registration] | 17-06-2019 |
| 69 | 20X2H4A GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0412500100 Description : 20X2H4A GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0412500100 [ENR Registration] | 17-06-2019 |
| 70 | OPEN HEARTH STEEL 15 GOST 1050 60 FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0122000090 Description : OPEN HEARTH STEEL 15 GOST 1050 60 FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0122000090 [ENR Registration] | 17-06-2019 |
| 71 | ANGLE MILD ST EQUAL 65X65X6 MM TO 0101070139 Description : ANGLE MILD ST EQUAL 65X65X6 MM TO 0101070139 [ENR Registration] | 17-06-2019 |
| 72 | ANGLE MILD STEEL 65x65x8 MM TO 0133070144 Description : ANGLE MILD STEEL 65x65x8 MM TO 0133070144 [ENR Registration] | 17-06-2019 |
| 73 | ANGLE STEEL HR A 50X50X6MM GR 09G2 12 TO 0326170087 Description : ANGLE STEEL HR A 50X50X6MM GR 09G2 12 TO 0326170087 [ENR Registration] | 17-06-2019 |

| | | |
|----|---|------------|
| 74 | HEX EN 3B BRT 1 25 A F STEEL TO 0133043032 Description : HEX EN 3B BRT 1 25 A F STEEL TO 0133043032 [ENR Registration] | 17-06-2019 |
| 75 | SHEET 4X1000X2000MM LONG STEEL 85 TO 0156022040 Description : SHEET 4X1000X2000MM LONG STEEL 85 TO 0156022040 [ENR Registration] | 17-06-2019 |
| 76 | SQUARE STEEL 45MM X 45MM GR ST 15 X 900MM LONG OR ITS MULTIPLES TO 0122050045 Description : SQUARE STEEL 45MM X 45MM GR ST 15 X 900MM LONG OR ITS MULTIPLES TO 0122050045 [ENR Registration] | 17-06-2019 |
| 77 | ROUND T90MN2 W50 CR45 12MM DIA STEEL TO 0218004012 Description : ROUND T90MN2 W50 CR45 12MM DIA STEEL TO 0218004012 [ENR Registration] | 17-06-2019 |
| 78 | PLATE MILD ST 56MMTHKX1250MMX2500MM TO 0112020560 Description : PLATE MILD ST 56MMTHKX1250MMX2500MM TO 0112020560 [ENR Registration] | 17-06-2019 |
| 79 | ANGLE MILD ST TO 0101070100 Description : ANGLE MILD ST TO 0101070100 [ENR Registration] | 17-06-2019 |
| 80 | PLATE MILD ST 12 THKx1250 WDTXx5000MM LG TO 0101020120 Description : PLATE MILD ST 12 THKx1250 WDTXx5000MM LG TO 0101020120 [ENR Registration] | 17-06-2019 |
| 81 | SHEET GR ST 15 4 II 2 0MMX1250MMX2500LG TO 0122022455 Description : SHEET GR ST 15 4 II 2 0MMX1250MMX2500LG TO 0122022455 [ENR Registration] | 17-06-2019 |
| 82 | SHEET GR ST 15 4 III 3 0X1250X2500MM LG TO 0122022465 Description : SHEET GR ST 15 4 III 3 0X1250X2500MM LG TO 0122022465 [ENR Registration] | 17-06-2019 |
| 83 | SHEET GR ST 15 3 T 4 0X1250X2500MM LG TO 0122022483 Description : SHEET GR ST 15 3 T 4 0X1250X2500MM LG TO 0122022483 [ENR Registration] | 17-06-2019 |
| 84 | SHEET STEEL 3MM THKx1400 Wx3000MM LG TO 0323122466 Description : SHEET STEEL 3MM THKx1400 Wx3000MM LG TO 0323122466 [ENR Registration] | 17-06-2019 |

| | | |
|----|---|------------|
| 85 | SHEET 2X1250X2500MM LG TO 0111822455 Description : SHEET 2X1250X2500MM LG TO 0111822455 [ENR Registration] | 17-06-2019 |
| 86 | SHEET CR ST 3X1250X2500MM GR 10KP 4 II TO 0111822470 Description : SHEET CR ST 3X1250X2500MM GR 10KP 4 II TO 0111822470 [ENR Registration] | 17-06-2019 |
| 87 | ANGLE B 32X20X4MM TO 0326170037 Description : ANGLE B 32X20X4MM TO 0326170037 [ENR Registration] | 17-06-2019 |
| 88 | ANGLE TO 0326170084 Description : ANGLE TO 0326170084 [ENR Registration] | 17-06-2019 |
| 89 | PLATE MILD STEEL TO 0101020160 Description : PLATE MILD STEEL TO 0101020160 [ENR Registration] | 17-06-2019 |
| 90 | ROUND ST EN36A BLK 150MM DIA TO 0412002152 Description : ROUND ST EN36A BLK 150MM DIA TO 0412002152 [ENR Registration] | 17-06-2019 |
| 91 | 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300045 Description : 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300045 [ENR Registration] | 17-06-2019 |
| 92 | PLATE MILD ST 80 THKx1250 WDTx2500MM LG TO 0101020800 Description : PLATE MILD ST 80 THKx1250 WDTx2500MM LG TO 0101020800 [ENR Registration] | 17-06-2019 |
| 93 | PLATE MILD STEEL TO 0112020254 Description : PLATE MILD STEEL TO 0112020254 [ENR Registration] | 17-06-2019 |
| 94 | PLATE STEEL 63MM THKx1200MMx5000MM LG TO 0133020630 Description : PLATE STEEL 63MM THKx1200MMx5000MM LG TO 0133020630 [ENR Registration] | 17-06-2019 |
| 95 | HEXAGON GR 38xC 12MM A F STEEL HOT ROLLED AND ANNEALED TO 0353340012 Description : HEXAGON GR 38xC 12MM A F STEEL HOT ROLLED AND ANNEALED TO 0353340012 [ENR Registration] | 17-06-2019 |

| | | |
|-----|--|------------|
| 96 | ROUND T90MN2 W50 CR45 20MM DIA STEEL TO 0218004020 Description : ROUND T90MN2 W50 CR45 20MM DIA STEEL TO 0218004020 [ENR Registration] | 17-06-2019 |
| 97 | ROUND T90MN2 W50 CR45 25MM DIA STEEL TO 0218004025 Description : ROUND T90MN2 W50 CR45 25MM DIA STEEL TO 0218004025 [ENR Registration] | 17-06-2019 |
| 98 | ROUND T90MN2 W50 CR45 50MM DIA STEEL TO 0218004050 Description : ROUND T90MN2 W50 CR45 50MM DIA STEEL TO 0218004050 [ENR Registration] | 17-06-2019 |
| 99 | DIEBLOCK SIZE 1143X1016X560MM 45X40X22IN FORGED OIL HARDENED AND TEMPERED CONDITION TO 0233088601 Description : DIEBLOCK SIZE 1143X1016X560MM 45X40X22IN FORGED OIL HARDENED AND TEMPERED CONDITION TO 0233088601 [ENR Registration] | 17-06-2019 |
| 100 | FLAT T90MN2 W50 CR45 10x180MM STEEL TO 0218033058 Description : FLAT T90MN2 W50 CR45 10x180MM STEEL TO 0218033058 [ENR Registration] | 17-06-2019 |
| 101 | ROUND T90MN2 W50 CR45 80MM DIA STEEL TO 0218004080 Description : ROUND T90MN2 W50 CR45 80MM DIA STEEL TO 0218004080 [ENR Registration] | 17-06-2019 |
| 102 | ROUND T90MN2 W50 CR45 100MM DIA STEEL TO 0218004100 Description : ROUND T90MN2 W50 CR45 100MM DIA STEEL TO 0218004100 [ENR Registration] | 17-06-2019 |
| 103 | ROUND T90MN2 W50 CR45 125MM DIA STEEL TO 0218004125 Description : ROUND T90MN2 W50 CR45 125MM DIA STEEL TO 0218004125 [ENR Registration] | 17-06-2019 |
| 104 | ROUND T90MN2 W50 CR45 150MM DIA STEEL TO 0218004150 Description : ROUND T90MN2 W50 CR45 150MM DIA STEEL TO 0218004150 [ENR Registration] | 17-06-2019 |
| 105 | ROUND ST EN43 125MM DIA TO 0181100125 Description : ROUND ST EN43 125MM DIA TO 0181100125 [ENR Registration] | 17-06-2019 |

| | | |
|-----|---|------------|
| 106 | ROUND ST EN24 40MM DIA TO 0334002040 Description : ROUND ST EN24 40MM DIA TO 0334002040 [ENR Registration] | 17-06-2019 |
| 107 | ROUND MILD ST 180 MM DIA TO 0101000180 Description : ROUND MILD ST 180 MM DIA TO 0101000180 [ENR Registration] | 17-06-2019 |
| 108 | ROUND ST EN 3A 250MM DIA TO 0133000250 Description : ROUND ST EN 3A 250MM DIA TO 0133000250 [ENR Registration] | 17-06-2019 |
| 109 | PLATE MILD ST 100 THKx1250 WDTx2500MMLG TO 0101020900 Description : PLATE MILD ST 100 THKx1250 WDTx2500MMLG TO 0101020900 [ENR Registration] | 17-06-2019 |
| 110 | PLATE MILD ST 125 THKx1250 WDTx2500MMLG TO 0101020925 Description : PLATE MILD ST 125 THKx1250 WDTx2500MMLG TO 0101020925 [ENR Registration] | 17-06-2019 |
| 111 | PLATE MILD STEEL 32MM THK TO 0112020320 Description : PLATE MILD STEEL 32MM THK TO 0112020320 [ENR Registration] | 17-06-2019 |
| 112 | PLATE MILD ST 50MMTHKX1250X2500MM TO 0112020508 Description : PLATE MILD ST 50MMTHKX1250X2500MM TO 0112020508 [ENR Registration] | 17-06-2019 |
| 113 | ROUND ST EN36A BLK 180MM DIA TO 0412002180 Description : ROUND ST EN36A BLK 180MM DIA TO 0412002180 [ENR Registration] | 17-06-2019 |
| 114 | SQUARE ST EN8 100 MM TO 0142052100 Description : SQUARE ST EN8 100 MM TO 0142052100 [ENR Registration] | 17-06-2019 |
| 115 | PLATE GR 30XGSA 20x1250x2500MM LG ST HOT ROLLED AND ANNEALED CONDITION TO 0416222675 Description : PLATE GR 30XGSA 20x1250x2500MM LG ST HOT ROLLED AND ANNEALED CONDITION TO 0416222675 [ENR Registration] | 17-06-2019 |
| 116 | PLATE ST 7MM THKx1250MM WDTx2000 3000MM TO 0141022602 Description : PLATE ST 7MM THKx1250MM WDTx2000 3000MM TO 0141022602 [ENR Registration] | 17-06-2019 |

| | | |
|-----|--|------------|
| 117 | HEXAGON STEEL 14 A F TO 0353340014 Description : HEXAGON STEEL 14 A F TO 0353340014 [ENR Registration] | 17-06-2019 |
| 118 | HEXAGON GR 38xC 30MM A Fx2000 2500MM ST HOT ROLLED AND ANNEALED TO 0353340030 Description : HEXAGON GR 38xC 30MM A Fx2000 2500MM ST HOT ROLLED AND ANNEALED TO 0353340030 [ENR Registration] | 17-06-2019 |
| 119 | HEXAGON GR 38xC 32MM AF STEEL HOT ROLLED AND ANNEALED TO 0353340032 Description : HEXAGON GR 38xC 32MM AF STEEL HOT ROLLED AND ANNEALED TO 0353340032 [ENR Registration] | 17-06-2019 |
| 120 | PLATE STEEL GR 30XGCA TO 0416222600 Description : PLATE STEEL GR 30XGCA TO 0416222600 [ENR Registration] | 17-06-2019 |
| 121 | PLATE GR 30XGSA 8X1250X2500MM LONG TO 0416222610 Description : PLATE GR 30XGSA 8X1250X2500MM LONG TO 0416222610 [ENR Registration] | 17-06-2019 |
| 122 | PLATE GR 30XGSA 10x1400x3000MM LONG ST HOT ROLLED AND ANNEALED TO 0416222625 Description : PLATE GR 30XGSA 10x1400x3000MM LONG ST HOT ROLLED AND ANNEALED TO 0416222625 [ENR Registration] | 17-06-2019 |
| 123 | 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300090 Description : 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300090 [ENR Registration] | 17-06-2019 |
| 124 | 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300110 Description : 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300110 [ENR Registration] | 17-06-2019 |
| 125 | SHEET 8GOST 19903 74 0 TB1 M1 TO GOST TO 0141022613 Description : SHEET 8GOST 19903 74 0 TB1 M1 TO GOST TO 0141022613 [ENR Registration] | 17-06-2019 |

| | | |
|-----|--|------------|
| 126 | STEEL 35 GOST 1050 74 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0141002100 Description : STEEL 35 GOST 1050 74 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0141002100 [ENR Registration] | 17-06-2019 |
| 127 | STEEL 45 GOST 1050 74 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0143000090 Description : STEEL 45 GOST 1050 74 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0143000090 [ENR Registration] | 17-06-2019 |
| 128 | 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300060 Description : 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300060 [ENR Registration] | 17-06-2019 |
| 129 | 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300070 Description : 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300070 [ENR Registration] | 17-06-2019 |
| 130 | 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300080 Description : 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300080 [ENR Registration] | 17-06-2019 |
| 131 | 20X2H4A GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0412500060 Description : 20X2H4A GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0412500060 [ENR Registration] | 17-06-2019 |
| 132 | 20X2H4A GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0412500070 Description : 20X2H4A GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0412500070 [ENR Registration] | 17-06-2019 |

| | | |
|-----|--|------------|
| 133 | 20X2H4A GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0412500090 Description : 20X2H4A GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0412500090 [ENR Registration] | 17-06-2019 |
| 134 | 20X2H4A GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0412500140 Description : 20X2H4A GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0412500140 [ENR Registration] | 17-06-2019 |
| 135 | ROUND GR ST 20 FORG QLTY STEEL 150MM DIA TO 0131000150 Description : ROUND GR ST 20 FORG QLTY STEEL 150MM DIA TO 0131000150 [ENR Registration] | 17-06-2019 |
| 136 | 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300050 Description : 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300050 [ENR Registration] | 17-06-2019 |
| 137 | ROUND GR 45 95MM DIA STEEL TO 0331500095 Description : ROUND GR 45 95MM DIA STEEL TO 0331500095 [ENR Registration] | 17-06-2019 |
| 138 | ROUND ST HOT ROLLED ANNEALED 80MM DIA TO 0111000080 Description : ROUND ST HOT ROLLED ANNEALED 80MM DIA TO 0111000080 [ENR Registration] | 17-06-2019 |
| 139 | TUBE STAINLESS STEEL 28MM OD x 4MM THK x 725MM LG OR MULTIPLES GRADE 12X18H10T GOST 5632 72 TO 0323155320 Description : TUBE STAINLESS STEEL 28MM OD x 4MM THK x 725MM LG OR MULTIPLES GRADE 12X18H10T GOST 5632 72 TO 0323155320 [ENR Registration] | 17-06-2019 |
| 140 | TUBE S STEEL GR 12x18H10T 35 ODx1 5M THK TO 0323155374 Description : TUBE S STEEL GR 12x18H10T 35 ODx1 5M THK TO 0323155374 [ENR Registration] | 17-06-2019 |
| 141 | ROUND GR 30XGSA 14MM DIA STEEL TO 0416200014 Description : ROUND GR 30XGSA 14MM DIA STEEL TO 0416200014 [ENR Registration] | 17-06-2019 |

| | | |
|-----|---|------------|
| 142 | SPRING ST STRIP 2 5MM THKx21MM Wx300MM L OR IN MULTIPLES OF 300MM LONG GR 60C2A T C H HOT ROLLED ANNEALED TO 0186060584 Description : SPRING ST STRIP 2 5MM THKx21MM Wx300MM L OR IN MULTIPLES OF 300MM LONG GR 60C2A T C H HOT ROLLED ANNEALED TO 0186060584 [ENR Registration] | 17-06-2019 |
| 143 | ROUND GR 20X2H4A 14MM DIA X 2000MM LONG HOT ROLLED ANNEALED CONDITION TO 0412500014 Description : ROUND GR 20X2H4A 14MM DIA X 2000MM LONG HOT ROLLED ANNEALED CONDITION TO 0412500014 [ENR Registration] | 17-06-2019 |
| 144 | ROUND GR 20X2H4A TO 0412500024 Description : ROUND GR 20X2H4A TO 0412500024 [ENR Registration] | 17-06-2019 |
| 145 | ROUND GR 20X2H4A 32MM DIA TO 0412500032 Description : ROUND GR 20X2H4A 32MM DIA TO 0412500032 [ENR Registration] | 17-06-2019 |
| 146 | ROUND GR 38XC 36MM DIA STEEL TO 0353300036 Description : ROUND GR 38XC 36MM DIA STEEL TO 0353300036 [ENR Registration] | 17-06-2019 |
| 147 | SHEET GR 15 3 T 6 0X1400X2500MM LG TO 0122022595 Description : SHEET GR 15 3 T 6 0X1400X2500MM LG TO 0122022595 [ENR Registration] | 17-06-2019 |
| 148 | PLATE GR ST 40 3 T 12MMx1400MMx3000MM LG HOT ROLLED ANNEALED TO 0141022632 Description : PLATE GR ST 40 3 T 12MMx1400MMx3000MM LG HOT ROLLED ANNEALED TO 0141022632 [ENR Registration] | 17-06-2019 |
| 149 | ROUND FORG QLTY GR 30XH3A 100MM DIA ST TO 0412802100 Description : ROUND FORG QLTY GR 30XH3A 100MM DIA ST TO 0412802100 [ENR Registration] | 17-06-2019 |
| 150 | SQUARE 100M RCS GR 30XH3A STEEL TO 0412852100 Description : SQUARE 100M RCS GR 30XH3A STEEL TO 0412852100 [ENR Registration] | 17-06-2019 |
| 151 | 18X2H4BA GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0415100090 Description : 18X2H4BA GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0415100090 [ENR Registration] | 17-06-2019 |

| | | |
|-----|---|------------|
| 152 | HEXAGON GR 38xC 41MM A F STEEL HOT RPLLED AND ANNEALED TO 0353340041 Description : HEXAGON GR 38xC 41MM A F STEEL HOT RPLLED AND ANNEALED TO 0353340041 [ENR Registration] | 17-06-2019 |
| 153 | 30XGCA GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0416200050 Description : 30XGCA GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0416200050 [ENR Registration] | 17-06-2019 |
| 154 | 30XGCA GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0416200090 Description : 30XGCA GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0416200090 [ENR Registration] | 17-06-2019 |
| 155 | ROUND GR STL 20 20MM DIA TO 0131000020 Description : ROUND GR STL 20 20MM DIA TO 0131000020 [ENR Registration] | 17-06-2019 |
| 156 | ROUND GR 45 45MM STEEL TO 0143000045 Description : ROUND GR 45 45MM STEEL TO 0143000045 [ENR Registration] | 17-06-2019 |
| 157 | STAINLESS STEEL AISI 321 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0323306125 Description : STAINLESS STEEL AISI 321 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0323306125 [ENR Registration] | 17-06-2019 |
| 158 | ROUND EN36B FORGD QLTY 125MM DIA STEEL TO 0412000127 Description : ROUND EN36B FORGD QLTY 125MM DIA STEEL TO 0412000127 [ENR Registration] | 17-06-2019 |
| 159 | WIRE 60C2A G XH 8 0MM DIA TO 0353109008 Description : WIRE 60C2A G XH 8 0MM DIA TO 0353109008 [ENR Registration] | 17-06-2019 |
| 160 | ROUND EN352 SPL 50MM DIA STEEL TO 0311002050 Description : ROUND EN352 SPL 50MM DIA STEEL TO 0311002050 [ENR Registration] | 17-06-2019 |
| 161 | SQUARE FORGED EN352 SPL RCS 90MM STEEL TO 0311083087 Description : SQUARE FORGED EN352 SPL RCS 90MM STEEL TO 0311083087 [ENR Registration] | 17-06-2019 |

| | | |
|-----|--|------------|
| 162 | 30XGCA GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0416200040 Description : 30XGCA GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0416200040 [ENR Registration] | 17-06-2019 |
| 163 | ROUND MILD ST 150 MM DIA TO 0101000150 Description : ROUND MILD ST 150 MM DIA TO 0101000150 [ENR Registration] | 17-06-2019 |
| 164 | PLATE MILD STEEL TO 0101020200 Description : PLATE MILD STEEL TO 0101020200 [ENR Registration] | 17-06-2019 |
| 165 | PLATE 16 MM THICK STEEL TO 0132020159 Description : PLATE 16 MM THICK STEEL TO 0132020159 [ENR Registration] | 17-06-2019 |
| 166 | ROUND ST EN24 150MM DIA TO 0334002150 Description : ROUND ST EN24 150MM DIA TO 0334002150 [ENR Registration] | 17-06-2019 |
| 167 | ROUND ST EN 24 180 MM DIA TO 0334008180 Description : ROUND ST EN 24 180 MM DIA TO 0334008180 [ENR Registration] | 17-06-2019 |
| 168 | SQUARE ST EN25 125MM TO 0334052127 Description : SQUARE ST EN25 125MM TO 0334052127 [ENR Registration] | 17-06-2019 |
| 169 | ROUND ST EN 3A 1 DIA TO 0133000025 Description : ROUND ST EN 3A 1 DIA TO 0133000025 [ENR Registration] | 17-06-2019 |
| 170 | ROUND ST EN9 125MM DIA TO 0145002127 Description : ROUND ST EN9 125MM DIA TO 0145002127 [ENR Registration] | 17-06-2019 |
| 171 | 60C2XA GOST 14959 79 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353100022 Description : 60C2XA GOST 14959 79 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353100022 [ENR Registration] | 17-06-2019 |
| 172 | ROUND ST EN8 3 4 DIA TO 0142002019 Description : ROUND ST EN8 3 4 DIA TO 0142002019 [ENR Registration] | 17-06-2019 |
| 173 | ROUND ST EN8 50MM DIA TO 0142002051 Description : ROUND ST EN8 50MM DIA TO 0142002051 [ENR Registration] | 17-06-2019 |

| | | |
|-----|---|------------|
| 174 | ROUND ST EN8 80MM DIA TO 0142002076 Description : ROUND ST EN8 80MM DIA TO 0142002076 [ENR Registration] | 17-06-2019 |
| 175 | 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300130 Description : 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300130 [ENR Registration] | 17-06-2019 |
| 176 | PLATE SPRING GR85 85W 8x1000x2000MM ST TO 0156122800 Description : PLATE SPRING GR85 85W 8x1000x2000MM ST TO 0156122800 [ENR Registration] | 17-06-2019 |
| 177 | DIE BLOCKS 365x838x406MM 38 Lx33 Wx16 H TO 0233088483 Description : DIE BLOCKS 365x838x406MM 38 Lx33 Wx16 H TO 0233088483 [ENR Registration] | 17-06-2019 |
| 178 | DIE BLOCKS 1168x812x406MM 46 Lx32 Wx16 H TO 0233088484 Description : DIE BLOCKS 1168x812x406MM 46 Lx32 Wx16 H TO 0233088484 [ENR Registration] | 17-06-2019 |
| 179 | 45XH GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0352950200 Description : 45XH GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0352950200 [ENR Registration] | 17-06-2019 |
| 180 | PLATE GR ST 40 3 T TO 0141022624 Description : PLATE GR ST 40 3 T TO 0141022624 [ENR Registration] | 17-06-2019 |
| 181 | TUBE EQUI MATL CDS 4 TO IS 3074 05 TO 0111555299 Description : TUBE EQUI MATL CDS 4 TO IS 3074 05 TO 0111555299 [ENR Registration] | 17-06-2019 |
| 182 | PIPE ST GR B10 60X2 5 TO 0111555571 Description : PIPE ST GR B10 60X2 5 TO 0111555571 [ENR Registration] | 17-06-2019 |
| 183 | TUBE ST GR B10 OR CDS25 27 OD X5 MM THK X 2000 MM LONG TO 0111756911 Description : TUBE ST GR B10 OR CDS25 27 OD X5 MM THK X 2000 MM LONG TO 0111756911 [ENR Registration] | 17-06-2019 |

| | | |
|-----|--|------------|
| 184 | TUBE ST GR B20 10 ODx1 0 THK X 2000MM LG TO 0131055111 Description : TUBE ST GR B20 10 ODx1 0 THK X 2000MM LG TO 0131055111 [ENR Registration] | 17-06-2019 |
| 185 | PIPE B20 GOST 8733 74 TO 0131055170 Description : PIPE B20 GOST 8733 74 TO 0131055170 [ENR Registration] | 17-06-2019 |
| 186 | TUBE GR 12x18H10T 6MM ODx1MM THK S STEEL TO 0323155017 Description : TUBE GR 12x18H10T 6MM ODx1MM THK S STEEL TO 0323155017 [ENR Registration] | 17-06-2019 |
| 187 | TUBE GR 12x18H10T 8MM ODx1MM THK S STEEL TO 0323155059 Description : TUBE GR 12x18H10T 8MM ODx1MM THK S STEEL TO 0323155059 [ENR Registration] | 17-06-2019 |
| 188 | TUBE STAINLESS ST 19 ODx2 THKX2000MM LG TO 0323356935 Description : TUBE STAINLESS ST 19 ODx2 THKX2000MM LG TO 0323356935 [ENR Registration] | 17-06-2019 |
| 189 | SQUARE FORG QLTY EN36C 160MM RCS STEEL TO 0412052160 Description : SQUARE FORG QLTY EN36C 160MM RCS STEEL TO 0412052160 [ENR Registration] | 17-06-2019 |
| 190 | ROUND MILD ST 200 MM DIA TO 0101000200 Description : ROUND MILD ST 200 MM DIA TO 0101000200 [ENR Registration] | 17-06-2019 |
| 191 | PLATE GRST 15 3 T 16MMX1250X1800 2500 TO 0122022653 Description : PLATE GRST 15 3 T 16MMX1250X1800 2500 TO 0122022653 [ENR Registration] | 17-06-2019 |
| 192 | SHEET ST GR 20 5 II 1 2x600x900 1800MM TO 0131022399 Description : SHEET ST GR 20 5 II 1 2x600x900 1800MM TO 0131022399 [ENR Registration] | 17-06-2019 |
| 193 | TUBE ST GR B20 12 ODx1MMTHKX2000MM LONG TO 0131055123 Description : TUBE ST GR B20 12 ODx1MMTHKX2000MM LONG TO 0131055123 [ENR Registration] | 17-06-2019 |
| 194 | PIPE TO 0131055142 Description : PIPE TO 0131055142 [ENR Registration] | 17-06-2019 |

| | | |
|-----|---|------------|
| 195 | ROUND ST EN9 28MM TO 0145002028 Description : ROUND ST EN9 28MM TO 0145002028 [ENR Registration] | 17-06-2019 |
| 196 | ROUND ST EN9 50 MM DIA TO 0145002051 Description : ROUND ST EN9 50 MM DIA TO 0145002051 [ENR Registration] | 17-06-2019 |
| 197 | PLATE MILD STEEL 5MM THKTO 0112020048 Description : PLATE MILD STEEL 5MM THKTO 0112020048 [ENR Registration] | 17-06-2019 |
| 198 | FLAT T90MN2 W50 CR45 6x100MM STEEL TO 0218083814 Description : FLAT T90MN2 W50 CR45 6x100MM STEEL TO 0218083814 [ENR Registration] | 17-06-2019 |
| 199 | TUBE S STEEL GR 12x18H10T 27 ODx2 5MM TK TO 0323155296 Description : TUBE S STEEL GR 12x18H10T 27 ODx2 5MM TK TO 0323155296 [ENR Registration] | 17-06-2019 |
| 200 | 40X2H2MA GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0334052150 Description : 40X2H2MA GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0334052150 [ENR Registration] | 17-06-2019 |
| 201 | 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300030 Description : 38XC GOST 4543 71 HOT ROLLED FORGEABLE QUALITY STEEL IN ANNEALED CONDITION TO 0353300030 [ENR Registration] | 17-06-2019 |
| 202 | STEEL 45 GOST 1050 74 HOT ROLLED TO 0143000070 Description : STEEL 45 GOST 1050 74 HOT ROLLED TO 0143000070 [ENR Registration] | 17-06-2019 |
| 203 | ROUND FORG GR 34CR 250x250MM DIA STEEL TO 0375005250 Description : ROUND FORG GR 34CR 250x250MM DIA STEEL TO 0375005250 [ENR Registration] | 17-06-2019 |
| 204 | SHEET 4MM GOST 19903 74 TO 0326322485 Description : SHEET 4MM GOST 19903 74 TO 0326322485 [ENR Registration] | 17-06-2019 |
| 205 | PLATE MILD ST 40MMTHKX1250MMX2500MM TO 0112020381 Description : PLATE MILD ST 40MMTHKX1250MMX2500MM TO 0112020381 [ENR Registration] | 17-06-2019 |

| | | |
|-----|---|------------|
| 206 | ROUND EN 36C 3 4 DIA STEEL TO 0412003016 Description : ROUND EN 36C 3 4 DIA STEEL TO 0412003016 [ENR Registration] | 17-06-2019 |
| 207 | PLATE GR ST 40 3 T 14MMX1250MMX2500MM TO 0141022642 Description : PLATE GR ST 40 3 T 14MMX1250MMX2500MM TO 0141022642 [ENR Registration] | 17-06-2019 |
| 208 | ROUND EN 43C GR CF 100 MM DIA STEEL TO 0144606100 Description : ROUND EN 43C GR CF 100 MM DIA STEEL TO 0144606100 [ENR Registration] | 17-06-2019 |
| 209 | HEX EN16R 1 5 A F STEEL TO 0283340038 Description : HEX EN16R 1 5 A F STEEL TO 0283340038 [ENR Registration] | 17-06-2019 |
| 210 | ROUND ST EN36B 32MM DIA TO 0412002032 Description : ROUND ST EN36B 32MM DIA TO 0412002032 [ENR Registration] | 17-06-2019 |

Registration No. : CALI00525A
Initial Date of Registration : 02-04-2019
Downloaded at : 13/11/2024 12:29 pm

Conditions of Registration:

1. This Registration has been carried out based on self-declared documents furnished by Vendor.
2. Changes, if any, in Address or constitution of the Firm, major Machinery/Equipment or Technology should be intimated to the Registration Authority immediately.
3. The Registration Authority reserves the right to cancel this Registration Certificate at any time.
4. Registration will be valid for 05 years with automatic renewal unless cancelled on account of administrative reasons.

This is a system generated certificate. Hence no separate signature is required.

NOTE: It is only a registration of vendor. It does not grant any special supply status to the Vendor. It is for the purpose of participation in Tender process only.